

Table I-7
TIME SERIES - MOST RECENT FIVE YEARS
Estimated practice entry cohort* by field of post-M.D. training & location of M.D. degree

| Field of Post-M.D. Training | | 2018 | | | 2019 | | | 2020 | | | 2021 | | | 2022 | | |
|---|-------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--------|
| | | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total |
| Family Medicine | Count | 996 | 202 | 1198 | 970 | 212 | 1182 | 950 | 209 | 1159 | 987 | 204 | 1191 | 1010 | 228 | 1238 |
| | Row % | 83.1% | 16.9% | 100.0% | 82.1% | 17.9% | 100.0% | 82.0% | 18.0% | 100.0% | 82.9% | 17.1% | 100.0% | 81.6% | 18.4% | 100.0% |
| Emergency Medicine (CFPC) | Count | 94 | 9 | 103 | 119 | 6 | 125 | 109 | 8 | 117 | 117 | 7 | 124 | 112 | 10 | 122 |
| | Row % | 91.3% | 8.7% | 100.0% | 95.2% | 4.8% | 100.0% | 93.2% | 6.8% | 100.0% | 94.4% | 5.6% | 100.0% | 91.8% | 8.2% | 100.0% |
| Care of the Elderly (CFPC) | Count | 13 | 1 | 14 | 15 | 2 | 17 | 14 | 3 | 17 | 17 | 5 | 22 | 16 | 4 | 20 |
| | Row % | 92.9% | 7.1% | 100.0% | 88.2% | 11.8% | 100.0% | 82.4% | 17.6% | 100.0% | 77.3% | 22.7% | 100.0% | 80.0% | 20.0% | 100.0% |
| Enhanced Skills: Anesthesia (CFPC) | Count | 19 | 0 | 19 | 17 | 1 | 18 | 12 | 1 | 13 | 21 | 3 | 24 | 17 | 1 | 18 |
| | Row % | 100.0% | 0.0% | 100.0% | 94.4% | 5.6% | 100.0% | 92.3% | 7.7% | 100.0% | 87.5% | 12.5% | 100.0% | 94.4% | 5.6% | 100.0% |
| Enhanced Skills: Palliative Care (CFPC) | Count | 17 | 1 | 18 | 27 | 0 | 27 | 28 | 1 | 29 | 32 | 3 | 35 | 25 | 3 | 28 |
| | Row % | 94.4% | 5.6% | 100.0% | 100.0% | 0.0% | 100.0% | 96.6% | 3.4% | 100.0% | 91.4% | 8.6% | 100.0% | 89.3% | 10.7% | 100.0% |
| Enhanced Skills: Sports Medicine (CFPC) | Count | 7 | 1 | 8 | 10 | 3 | 13 | 11 | 2 | 13 | 11 | 2 | 13 | 12 | 2 | 14 |
| | Row % | 87.5% | 12.5% | 100.0% | 76.9% | 23.1% | 100.0% | 84.6% | 15.4% | 100.0% | 84.6% | 15.4% | 100.0% | 85.7% | 14.3% | 100.0% |
| Enhanced Skills: Other Fam. Med. Training | Count | 111 | 6 | 117 | 95 | 11 | 106 | 77 | 14 | 91 | 76 | 11 | 87 | 99 | 11 | 110 |
| | Row % | 94.9% | 5.1% | 100.0% | 89.6% | 10.4% | 100.0% | 84.6% | 15.4% | 100.0% | 87.4% | 12.6% | 100.0% | 90.0% | 10.0% | 100.0% |
| FAMILY MEDICINE SUBTOTAL | Count | 1257 | 220 | 1477 | 1253 | 235 | 1488 | 1201 | 238 | 1439 | 1261 | 235 | 1496 | 1291 | 259 | 1550 |
| | Row % | 85.1% | 14.9% | 100.0% | 84.2% | 15.8% | 100.0% | 83.5% | 16.5% | 100.0% | 84.3% | 15.7% | 100.0% | 83.3% | 16.7% | 100.0% |
| Anesthesiology | Count | 125 | 33 | 158 | 116 | 23 | 139 | 117 | 27 | 144 | 110 | 22 | 132 | 93 | 26 | 119 |
| | Row % | 79.1% | 20.9% | 100.0% | 83.5% | 16.5% | 100.0% | 81.3% | 18.8% | 100.0% | 83.3% | 16.7% | 100.0% | 78.2% | 21.8% | 100.0% |
| Critical Care (Anes.) | Count | 4 | 1 | 5 | 2 | 0 | 2 | 3 | 0 | 3 | 2 | 2 | 4 | 5 | 0 | 5 |
| | Row % | 80.0% | 20.0% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% | 50.0% | 50.0% | 100.0% | 100.0% | 0.0% | 100.0% |
| Pain Medicine (Anes.) | Count | 3 | 2 | 5 | 1 | 1 | 2 | 8 | 2 | 10 | 1 | 2 | 3 | 7 | 1 | 8 |
| | Row % | 60.0% | 40.0% | 100.0% | 50.0% | 50.0% | 100.0% | 80.0% | 20.0% | 100.0% | 33.3% | 66.7% | 100.0% | 87.5% | 12.5% | 100.0% |
| Transfusion Medicine (Anes.) | Count | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 1 |
| | Row % | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 0.0% | 100.0% |
| Public Health and Preventive Medicine | Count | 21 | 5 | 26 | 17 | 5 | 22 | 12 | 4 | 16 | 25 | 5 | 30 | 21 | 6 | 27 |
| | Row % | 80.8% | 19.2% | 100.0% | 77.3% | 22.7% | 100.0% | 75.0% | 25.0% | 100.0% | 83.3% | 16.7% | 100.0% | 77.8% | 22.2% | 100.0% |
| Dermatology | Count | 37 | 5 | 42 | 31 | 3 | 34 | 25 | 0 | 25 | 27 | 4 | 31 | 35 | 2 | 37 |
| | Row % | 88.1% | 11.9% | 100.0% | 91.2% | 8.8% | 100.0% | 100.0% | 0.0% | 100.0% | 87.1% | 12.9% | 100.0% | 94.6% | 5.4% | 100.0% |
| Diagnostic Radiology | Count | 81 | 24 | 105 | 71 | 23 | 94 | 78 | 27 | 105 | 62 | 28 | 90 | 63 | 23 | 86 |
| | Row % | 77.1% | 22.9% | 100.0% | 75.5% | 24.5% | 100.0% | 74.3% | 25.7% | 100.0% | 68.9% | 31.1% | 100.0% | 73.3% | 26.7% | 100.0% |
| Interventional Radiology | Count | 0 | 0 | 0 | 3 | 0 | 3 | 3 | 0 | 3 | 4 | 0 | 4 | 1 | 0 | 1 |
| | Row % | 0.0% | 0.0% | 0.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% |

Table I-7
TIME SERIES - MOST RECENT FIVE YEARS
Estimated practice entry cohort* by field of post-M.D. training & location of M.D. degree

| Field of Post-M.D. Training | | 2018 | | | 2019 | | | 2020 | | | 2021 | | | 2022 | | |
|---|-------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--------|
| | | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total |
| Neuroradiology | Count | 6 | 0 | 6 | 5 | 3 | 8 | 3 | 1 | 4 | 6 | 3 | 9 | 5 | 2 | 7 |
| | Row % | 100.0% | 0.0% | 100.0% | 62.5% | 37.5% | 100.0% | 75.0% | 25.0% | 100.0% | 66.7% | 33.3% | 100.0% | 71.4% | 28.6% | 100.0% |
| Pediatric Radiology | Count | 1 | 3 | 4 | 0 | 4 | 4 | 2 | 3 | 5 | 0 | 4 | 4 | 2 | 4 | 6 |
| | Row % | 25.0% | 75.0% | 100.0% | 0.0% | 100.0% | 100.0% | 40.0% | 60.0% | 100.0% | 0.0% | 100.0% | 100.0% | 33.3% | 66.7% | 100.0% |
| Emergency Medicine (Royal College) | Count | 72 | 4 | 76 | 56 | 7 | 63 | 65 | 9 | 74 | 58 | 9 | 67 | 67 | 9 | 76 |
| | Row % | 94.7% | 5.3% | 100.0% | 88.9% | 11.1% | 100.0% | 87.8% | 12.2% | 100.0% | 86.6% | 13.4% | 100.0% | 88.2% | 11.8% | 100.0% |
| Critical Care (Emergency Med.) | Count | 2 | 0 | 2 | 2 | 0 | 2 | 13 | 0 | 13 | 5 | 0 | 5 | 4 | 2 | 6 |
| | Row % | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% | 66.7% | 33.3% | 100.0% |
| Pediatric Emergency Medicine | Count | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 1 | 4 | 0 | 4 |
| | Row % | 0.0% | 0.0% | 0.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% |
| Internal Medicine | Count | 26 | 20 | 46 | 31 | 16 | 47 | 28 | 13 | 41 | 27 | 12 | 39 | 27 | 16 | 43 |
| | Row % | 56.5% | 43.5% | 100.0% | 66.0% | 34.0% | 100.0% | 68.3% | 31.7% | 100.0% | 69.2% | 30.8% | 100.0% | 62.8% | 37.2% | 100.0% |
| Cardiology (Int.Med.) | Count | 48 | 17 | 65 | 27 | 18 | 45 | 38 | 23 | 61 | 37 | 22 | 59 | 45 | 23 | 68 |
| | Row % | 73.8% | 26.2% | 100.0% | 60.0% | 40.0% | 100.0% | 62.3% | 37.7% | 100.0% | 62.7% | 37.3% | 100.0% | 66.2% | 33.8% | 100.0% |
| Clinical Immunology and Allergy (Int.Med.) | Count | 8 | 2 | 10 | 11 | 1 | 12 | 10 | 0 | 10 | 9 | 1 | 10 | 11 | 0 | 11 |
| | Row % | 80.0% | 20.0% | 100.0% | 91.7% | 8.3% | 100.0% | 100.0% | 0.0% | 100.0% | 90.0% | 10.0% | 100.0% | 100.0% | 0.0% | 100.0% |
| Clinical Pharmacology and Toxicology (Int.Med.) | Count | 1 | 1 | 2 | 1 | 2 | 3 | 1 | 1 | 2 | 4 | 0 | 4 | 3 | 2 | 5 |
| | Row % | 50.0% | 50.0% | 100.0% | 33.3% | 66.7% | 100.0% | 50.0% | 50.0% | 100.0% | 100.0% | 0.0% | 100.0% | 60.0% | 40.0% | 100.0% |
| Critical Care (Int.Med) | Count | 26 | 5 | 31 | 21 | 6 | 27 | 19 | 6 | 25 | 25 | 7 | 32 | 28 | 7 | 35 |
| | Row % | 83.9% | 16.1% | 100.0% | 77.8% | 22.2% | 100.0% | 76.0% | 24.0% | 100.0% | 78.1% | 21.9% | 100.0% | 80.0% | 20.0% | 100.0% |
| Endocrinology and Metabolism (Int.Med.) | Count | 26 | 2 | 28 | 28 | 6 | 34 | 25 | 5 | 30 | 22 | 4 | 26 | 29 | 4 | 33 |
| | Row % | 92.9% | 7.1% | 100.0% | 82.4% | 17.6% | 100.0% | 83.3% | 16.7% | 100.0% | 84.6% | 15.4% | 100.0% | 87.9% | 12.1% | 100.0% |
| Gastroenterology (Int.Med.) | Count | 38 | 12 | 50 | 28 | 8 | 36 | 23 | 13 | 36 | 27 | 10 | 37 | 34 | 7 | 41 |
| | Row % | 76.0% | 24.0% | 100.0% | 77.8% | 22.2% | 100.0% | 63.9% | 36.1% | 100.0% | 73.0% | 27.0% | 100.0% | 82.9% | 17.1% | 100.0% |
| General Internal Medicine | Count | 82 | 13 | 95 | 74 | 14 | 88 | 75 | 16 | 91 | 85 | 11 | 96 | 95 | 16 | 111 |
| | Row % | 86.3% | 13.7% | 100.0% | 84.1% | 15.9% | 100.0% | 82.4% | 17.6% | 100.0% | 88.5% | 11.5% | 100.0% | 85.6% | 14.4% | 100.0% |
| Geriatric Medicine (Int.Med.) | Count | 22 | 4 | 26 | 24 | 6 | 30 | 25 | 8 | 33 | 17 | 3 | 20 | 37 | 2 | 39 |
| | Row % | 84.6% | 15.4% | 100.0% | 80.0% | 20.0% | 100.0% | 75.8% | 24.2% | 100.0% | 85.0% | 15.0% | 100.0% | 94.9% | 5.1% | 100.0% |
| Hematology (Int.Med.) | Count | 24 | 6 | 30 | 28 | 7 | 35 | 33 | 5 | 38 | 24 | 5 | 29 | 32 | 6 | 38 |
| | Row % | 80.0% | 20.0% | 100.0% | 80.0% | 20.0% | 100.0% | 86.8% | 13.2% | 100.0% | 82.8% | 17.2% | 100.0% | 84.2% | 15.8% | 100.0% |
| Infectious Diseases (Int.Med.) | Count | 21 | 3 | 24 | 24 | 2 | 26 | 13 | 3 | 16 | 17 | 0 | 17 | 16 | 2 | 18 |
| | Row % | 87.5% | 12.5% | 100.0% | 92.3% | 7.7% | 100.0% | 81.3% | 18.8% | 100.0% | 100.0% | 0.0% | 100.0% | 88.9% | 11.1% | 100.0% |

Table I-7
TIME SERIES - MOST RECENT FIVE YEARS
Estimated practice entry cohort* by field of post-M.D. training & location of M.D. degree

| Field of Post-M.D. Training | | 2018 | | | 2019 | | | 2020 | | | 2021 | | | 2022 | | |
|---|-------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--------|
| | | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total |
| Medical Oncology (Int.Med.) | Count | 29 | 11 | 40 | 41 | 12 | 53 | 33 | 10 | 43 | 30 | 6 | 36 | 35 | 8 | 43 |
| | Row % | 72.5% | 27.5% | 100.0% | 77.4% | 22.6% | 100.0% | 76.7% | 23.3% | 100.0% | 83.3% | 16.7% | 100.0% | 81.4% | 18.6% | 100.0% |
| Nephrology (Int.Med.) | Count | 31 | 6 | 37 | 23 | 8 | 31 | 25 | 8 | 33 | 21 | 5 | 26 | 31 | 11 | 42 |
| | Row % | 83.8% | 16.2% | 100.0% | 74.2% | 25.8% | 100.0% | 75.8% | 24.2% | 100.0% | 80.8% | 19.2% | 100.0% | 73.8% | 26.2% | 100.0% |
| Occupational Medicine (Int. Med.) | Count | 1 | 1 | 2 | 1 | 1 | 2 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 |
| | Row % | 50.0% | 50.0% | 100.0% | 50.0% | 50.0% | 100.0% | 100.0% | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% |
| Respirology (Int.Med.) | Count | 28 | 8 | 36 | 32 | 5 | 37 | 40 | 11 | 51 | 32 | 6 | 38 | 42 | 6 | 48 |
| | Row % | 77.8% | 22.2% | 100.0% | 86.5% | 13.5% | 100.0% | 78.4% | 21.6% | 100.0% | 84.2% | 15.8% | 100.0% | 87.5% | 12.5% | 100.0% |
| Rheumatology (Int.Med.) | Count | 36 | 4 | 40 | 25 | 4 | 29 | 31 | 7 | 38 | 30 | 6 | 36 | 27 | 7 | 34 |
| | Row % | 90.0% | 10.0% | 100.0% | 86.2% | 13.8% | 100.0% | 81.6% | 18.4% | 100.0% | 83.3% | 16.7% | 100.0% | 79.4% | 20.6% | 100.0% |
| Transfusion Medicine (Int. Med.) | Count | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Row % | 100.0% | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Medical Genetics and Genomics | Count | 6 | 2 | 8 | 6 | 2 | 8 | 7 | 4 | 11 | 4 | 3 | 7 | 5 | 2 | 7 |
| | Row % | 75.0% | 25.0% | 100.0% | 75.0% | 25.0% | 100.0% | 63.6% | 36.4% | 100.0% | 57.1% | 42.9% | 100.0% | 71.4% | 28.6% | 100.0% |
| Neurology | Count | 38 | 22 | 60 | 36 | 25 | 61 | 45 | 15 | 60 | 33 | 17 | 50 | 39 | 20 | 59 |
| | Row % | 63.3% | 36.7% | 100.0% | 59.0% | 41.0% | 100.0% | 75.0% | 25.0% | 100.0% | 66.0% | 34.0% | 100.0% | 66.1% | 33.9% | 100.0% |
| Neurology (Pediatrics) | Count | 5 | 3 | 8 | 7 | 3 | 10 | 5 | 4 | 9 | 8 | 3 | 11 | 6 | 1 | 7 |
| | Row % | 62.5% | 37.5% | 100.0% | 70.0% | 30.0% | 100.0% | 55.6% | 44.4% | 100.0% | 72.7% | 27.3% | 100.0% | 85.7% | 14.3% | 100.0% |
| Nuclear Medicine | Count | 10 | 1 | 11 | 8 | 2 | 10 | 6 | 0 | 6 | 11 | 2 | 13 | 11 | 1 | 12 |
| | Row % | 90.9% | 9.1% | 100.0% | 80.0% | 20.0% | 100.0% | 100.0% | 0.0% | 100.0% | 84.6% | 15.4% | 100.0% | 91.7% | 8.3% | 100.0% |
| Palliative Medicine | Count | 4 | 1 | 5 | 3 | 2 | 5 | 5 | 2 | 7 | 6 | 2 | 8 | 4 | 1 | 5 |
| | Row % | 80.0% | 20.0% | 100.0% | 60.0% | 40.0% | 100.0% | 71.4% | 28.6% | 100.0% | 75.0% | 25.0% | 100.0% | 80.0% | 20.0% | 100.0% |
| Pediatrics | Count | 81 | 14 | 95 | 51 | 10 | 61 | 60 | 16 | 76 | 65 | 6 | 71 | 68 | 12 | 80 |
| | Row % | 85.3% | 14.7% | 100.0% | 83.6% | 16.4% | 100.0% | 78.9% | 21.1% | 100.0% | 91.5% | 8.5% | 100.0% | 85.0% | 15.0% | 100.0% |
| Adolescent Medicine (Ped.) | Count | 2 | 1 | 3 | 4 | 0 | 4 | 4 | 1 | 5 | 3 | 0 | 3 | 6 | 0 | 6 |
| | Row % | 66.7% | 33.3% | 100.0% | 100.0% | 0.0% | 100.0% | 80.0% | 20.0% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% |
| Cardiology (Ped.) | Count | 1 | 3 | 4 | 5 | 1 | 6 | 3 | 3 | 6 | 3 | 5 | 8 | 3 | 4 | 7 |
| | Row % | 25.0% | 75.0% | 100.0% | 83.3% | 16.7% | 100.0% | 50.0% | 50.0% | 100.0% | 37.5% | 62.5% | 100.0% | 42.9% | 57.1% | 100.0% |
| Clinical Immunology and Allergy (Ped.) | Count | 6 | 2 | 8 | 3 | 4 | 7 | 8 | 1 | 9 | 6 | 1 | 7 | 5 | 0 | 5 |
| | Row % | 75.0% | 25.0% | 100.0% | 42.9% | 57.1% | 100.0% | 88.9% | 11.1% | 100.0% | 85.7% | 14.3% | 100.0% | 100.0% | 0.0% | 100.0% |
| Clinical Pharmacology and Toxicology (Ped.) | Count | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Row % | 0.0% | 100.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |

Table I-7
TIME SERIES - MOST RECENT FIVE YEARS
Estimated practice entry cohort* by field of post-M.D. training & location of M.D. degree

| Field of Post-M.D. Training | | 2018 | | | 2019 | | | 2020 | | | 2021 | | | 2022 | | |
|--------------------------------------|-------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--------|
| | | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total |
| Critical Care (Ped.) | Count | 6 | 2 | 8 | 7 | 4 | 11 | 7 | 3 | 10 | 4 | 4 | 8 | 6 | 3 | 9 |
| | Row % | 75.0% | 25.0% | 100.0% | 63.6% | 36.4% | 100.0% | 70.0% | 30.0% | 100.0% | 50.0% | 50.0% | 100.0% | 66.7% | 33.3% | 100.0% |
| Endocrinology and Metabolism (Ped.) | Count | 7 | 0 | 7 | 6 | 3 | 9 | 3 | 2 | 5 | 9 | 3 | 12 | 6 | 1 | 7 |
| | Row % | 100.0% | 0.0% | 100.0% | 66.7% | 33.3% | 100.0% | 60.0% | 40.0% | 100.0% | 75.0% | 25.0% | 100.0% | 85.7% | 14.3% | 100.0% |
| Gastroenterology (Ped.) | Count | 3 | 1 | 4 | 4 | 2 | 6 | 2 | 2 | 4 | 4 | 3 | 7 | 3 | 1 | 4 |
| | Row % | 75.0% | 25.0% | 100.0% | 66.7% | 33.3% | 100.0% | 50.0% | 50.0% | 100.0% | 57.1% | 42.9% | 100.0% | 75.0% | 25.0% | 100.0% |
| Developmental Pediatrics (Ped.) | Count | 7 | 1 | 8 | 1 | 1 | 2 | 4 | 0 | 4 | 8 | 2 | 10 | 4 | 0 | 4 |
| | Row % | 87.5% | 12.5% | 100.0% | 50.0% | 50.0% | 100.0% | 100.0% | 0.0% | 100.0% | 80.0% | 20.0% | 100.0% | 100.0% | 0.0% | 100.0% |
| Pediatric Emergency Medicine (Ped.) | Count | 14 | 6 | 20 | 16 | 5 | 21 | 15 | 1 | 16 | 15 | 3 | 18 | 16 | 4 | 20 |
| | Row % | 70.0% | 30.0% | 100.0% | 76.2% | 23.8% | 100.0% | 93.8% | 6.3% | 100.0% | 83.3% | 16.7% | 100.0% | 80.0% | 20.0% | 100.0% |
| Hematology/Oncology (Ped.) | Count | 13 | 3 | 16 | 4 | 4 | 8 | 10 | 5 | 15 | 8 | 9 | 17 | 7 | 5 | 12 |
| | Row % | 81.3% | 18.8% | 100.0% | 50.0% | 50.0% | 100.0% | 66.7% | 33.3% | 100.0% | 47.1% | 52.9% | 100.0% | 58.3% | 41.7% | 100.0% |
| Infectious Diseases (Ped.) | Count | 4 | 0 | 4 | 4 | 1 | 5 | 3 | 0 | 3 | 0 | 0 | 0 | 5 | 1 | 6 |
| | Row % | 100.0% | 0.0% | 100.0% | 80.0% | 20.0% | 100.0% | 100.0% | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 83.3% | 16.7% | 100.0% |
| Neonatal-Perinatal Medicine (Ped.) | Count | 4 | 13 | 17 | 7 | 10 | 17 | 4 | 18 | 22 | 11 | 17 | 28 | 8 | 10 | 18 |
| | Row % | 23.5% | 76.5% | 100.0% | 41.2% | 58.8% | 100.0% | 18.2% | 81.8% | 100.0% | 39.3% | 60.7% | 100.0% | 44.4% | 55.6% | 100.0% |
| Nephrology (Ped.) | Count | 2 | 0 | 2 | 2 | 2 | 4 | 6 | 0 | 6 | 1 | 1 | 2 | 5 | 0 | 5 |
| | Row % | 100.0% | 0.0% | 100.0% | 50.0% | 50.0% | 100.0% | 100.0% | 0.0% | 100.0% | 50.0% | 50.0% | 100.0% | 100.0% | 0.0% | 100.0% |
| Respirology (Ped.) | Count | 4 | 0 | 4 | 2 | 1 | 3 | 4 | 1 | 5 | 1 | 1 | 2 | 3 | 1 | 4 |
| | Row % | 100.0% | 0.0% | 100.0% | 66.7% | 33.3% | 100.0% | 80.0% | 20.0% | 100.0% | 50.0% | 50.0% | 100.0% | 75.0% | 25.0% | 100.0% |
| Rheumatology (Ped.) | Count | 2 | 0 | 2 | 3 | 1 | 4 | 3 | 2 | 5 | 5 | 0 | 5 | 2 | 0 | 2 |
| | Row % | 100.0% | 0.0% | 100.0% | 75.0% | 25.0% | 100.0% | 60.0% | 40.0% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% |
| Physical Medicine and Rehabilitation | Count | 22 | 3 | 25 | 25 | 4 | 29 | 23 | 6 | 29 | 18 | 3 | 21 | 29 | 6 | 35 |
| | Row % | 88.0% | 12.0% | 100.0% | 86.2% | 13.8% | 100.0% | 79.3% | 20.7% | 100.0% | 85.7% | 14.3% | 100.0% | 82.9% | 17.1% | 100.0% |
| Psychiatry | Count | 86 | 41 | 127 | 108 | 39 | 147 | 125 | 26 | 151 | 124 | 32 | 156 | 119 | 29 | 148 |
| | Row % | 67.7% | 32.3% | 100.0% | 73.5% | 26.5% | 100.0% | 82.8% | 17.2% | 100.0% | 79.5% | 20.5% | 100.0% | 80.4% | 19.6% | 100.0% |
| Child and Adolescent Psychiatry | Count | 13 | 2 | 15 | 18 | 5 | 23 | 27 | 6 | 33 | 21 | 6 | 27 | 20 | 8 | 28 |
| | Row % | 86.7% | 13.3% | 100.0% | 78.3% | 21.7% | 100.0% | 81.8% | 18.2% | 100.0% | 77.8% | 22.2% | 100.0% | 71.4% | 28.6% | 100.0% |
| Forensic Psychiatry | Count | 7 | 2 | 9 | 3 | 1 | 4 | 9 | 2 | 11 | 4 | 1 | 5 | 6 | 1 | 7 |
| | Row % | 77.8% | 22.2% | 100.0% | 75.0% | 25.0% | 100.0% | 81.8% | 18.2% | 100.0% | 80.0% | 20.0% | 100.0% | 85.7% | 14.3% | 100.0% |
| Geriatric Psychiatry | Count | 6 | 5 | 11 | 12 | 1 | 13 | 7 | 5 | 12 | 12 | 4 | 16 | 13 | 2 | 15 |
| | Row % | 54.5% | 45.5% | 100.0% | 92.3% | 7.7% | 100.0% | 58.3% | 41.7% | 100.0% | 75.0% | 25.0% | 100.0% | 86.7% | 13.3% | 100.0% |

Table I-7
TIME SERIES - MOST RECENT FIVE YEARS
Estimated practice entry cohort* by field of post-M.D. training & location of M.D. degree

| Field of Post-M.D. Training | | 2018 | | | 2019 | | | 2020 | | | 2021 | | | 2022 | | |
|-----------------------------------|-------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--------|
| | | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total |
| Radiation Oncology | Count | 14 | 8 | 22 | 16 | 8 | 24 | 14 | 6 | 20 | 20 | 9 | 29 | 24 | 5 | 29 |
| | Row % | 63.6% | 36.4% | 100.0% | 66.7% | 33.3% | 100.0% | 70.0% | 30.0% | 100.0% | 69.0% | 31.0% | 100.0% | 82.8% | 17.2% | 100.0% |
| MEDICAL SPECIALTIES SUBTOTAL | Count | 1167 | 329 | 1496 | 1085 | 326 | 1411 | 1159 | 333 | 1492 | 1112 | 315 | 1427 | 1223 | 311 | 1534 |
| | Row % | 78.0% | 22.0% | 100.0% | 76.9% | 23.1% | 100.0% | 77.7% | 22.3% | 100.0% | 77.9% | 22.1% | 100.0% | 79.7% | 20.3% | 100.0% |
| Anatomical Pathology | Count | 25 | 16 | 41 | 29 | 17 | 46 | 25 | 20 | 45 | 23 | 15 | 38 | 36 | 9 | 45 |
| | Row % | 61.0% | 39.0% | 100.0% | 63.0% | 37.0% | 100.0% | 55.6% | 44.4% | 100.0% | 60.5% | 39.5% | 100.0% | 80.0% | 20.0% | 100.0% |
| Forensic Pathology (Anat. Path.) | Count | 2 | 1 | 3 | 1 | 0 | 1 | 3 | 0 | 3 | 2 | 2 | 4 | 2 | 1 | 3 |
| | Row % | 66.7% | 33.3% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% | 50.0% | 50.0% | 100.0% | 66.7% | 33.3% | 100.0% |
| General Pathology | Count | 2 | 2 | 4 | 4 | 3 | 7 | 5 | 1 | 6 | 3 | 1 | 4 | 3 | 1 | 4 |
| | Row % | 50.0% | 50.0% | 100.0% | 57.1% | 42.9% | 100.0% | 83.3% | 16.7% | 100.0% | 75.0% | 25.0% | 100.0% | 75.0% | 25.0% | 100.0% |
| Forensic Pathology (Gen. Path.) | Count | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| | Row % | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 0.0% | 100.0% |
| Hematological Pathology | Count | 3 | 2 | 5 | 2 | 2 | 4 | 1 | 1 | 2 | 3 | 2 | 5 | 4 | 2 | 6 |
| | Row % | 60.0% | 40.0% | 100.0% | 50.0% | 50.0% | 100.0% | 50.0% | 50.0% | 100.0% | 60.0% | 40.0% | 100.0% | 66.7% | 33.3% | 100.0% |
| Medical Biochemistry | Count | 2 | 2 | 4 | 1 | 0 | 1 | 1 | 1 | 2 | 1 | 0 | 1 | 2 | 0 | 2 |
| | Row % | 50.0% | 50.0% | 100.0% | 100.0% | 0.0% | 100.0% | 50.0% | 50.0% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% |
| Medical Microbiology | Count | 7 | 1 | 8 | 7 | 2 | 9 | 9 | 4 | 13 | 9 | 3 | 12 | 9 | 2 | 11 |
| | Row % | 87.5% | 12.5% | 100.0% | 77.8% | 22.2% | 100.0% | 69.2% | 30.8% | 100.0% | 75.0% | 25.0% | 100.0% | 81.8% | 18.2% | 100.0% |
| Neuropathology | Count | 0 | 1 | 1 | 1 | 1 | 2 | 2 | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 1 |
| | Row % | 0.0% | 100.0% | 100.0% | 50.0% | 50.0% | 100.0% | 100.0% | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 100.0% | 0.0% | 100.0% |
| LAB MEDICINE SPECIALTIES SUBTOTAL | Count | 41 | 25 | 66 | 45 | 26 | 71 | 46 | 27 | 73 | 41 | 23 | 64 | 58 | 15 | 73 |
| | Row % | 62.1% | 37.9% | 100.0% | 63.4% | 36.6% | 100.0% | 63.0% | 37.0% | 100.0% | 64.1% | 35.9% | 100.0% | 79.5% | 20.5% | 100.0% |
| Cardiac Surgery | Count | 8 | 2 | 10 | 8 | 4 | 12 | 6 | 8 | 14 | 6 | 5 | 11 | 6 | 6 | 12 |
| | Row % | 80.0% | 20.0% | 100.0% | 66.7% | 33.3% | 100.0% | 42.9% | 57.1% | 100.0% | 54.5% | 45.5% | 100.0% | 50.0% | 50.0% | 100.0% |
| Critical Care (Cardiac Surg.) | Count | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| | Row % | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 0.0% | 0.0% | 0.0% |
| General Surgery | Count | 76 | 14 | 90 | 59 | 13 | 72 | 60 | 15 | 75 | 55 | 8 | 63 | 49 | 9 | 58 |
| | Row % | 84.4% | 15.6% | 100.0% | 81.9% | 18.1% | 100.0% | 80.0% | 20.0% | 100.0% | 87.3% | 12.7% | 100.0% | 84.5% | 15.5% | 100.0% |
| Colorectal Surgery | Count | 9 | 0 | 9 | 6 | 1 | 7 | 7 | 0 | 7 | 5 | 0 | 5 | 6 | 0 | 6 |
| | Row % | 100.0% | 0.0% | 100.0% | 85.7% | 14.3% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% |
| Critical Care (General Surgery) | Count | 3 | 0 | 3 | 1 | 0 | 1 | 6 | 0 | 6 | 3 | 1 | 4 | 0 | 1 | 1 |
| | Row % | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% | 75.0% | 25.0% | 100.0% | 0.0% | 100.0% | 100.0% |

Table I-7
TIME SERIES - MOST RECENT FIVE YEARS
Estimated practice entry cohort* by field of post-M.D. training & location of M.D. degree

| Field of Post-M.D. Training | | 2018 | | | 2019 | | | 2020 | | | 2021 | | | 2022 | | |
|---|-------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--------|
| | | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total |
| General Surgical Oncology | Count | 1 | 1 | 2 | 8 | 2 | 10 | 6 | 1 | 7 | 5 | 1 | 6 | 8 | 3 | 11 |
| | Row % | 50.0% | 50.0% | 100.0% | 80.0% | 20.0% | 100.0% | 85.7% | 14.3% | 100.0% | 83.3% | 16.7% | 100.0% | 72.7% | 27.3% | 100.0% |
| Pediatric Surgery | Count | 4 | 1 | 5 | 3 | 1 | 4 | 3 | 3 | 6 | 4 | 1 | 5 | 4 | 1 | 5 |
| | Row % | 80.0% | 20.0% | 100.0% | 75.0% | 25.0% | 100.0% | 50.0% | 50.0% | 100.0% | 80.0% | 20.0% | 100.0% | 80.0% | 20.0% | 100.0% |
| Thoracic Surgery | Count | 4 | 2 | 6 | 7 | 1 | 8 | 5 | 1 | 6 | 9 | 4 | 13 | 2 | 0 | 2 |
| | Row % | 66.7% | 33.3% | 100.0% | 87.5% | 12.5% | 100.0% | 83.3% | 16.7% | 100.0% | 69.2% | 30.8% | 100.0% | 100.0% | 0.0% | 100.0% |
| Vascular Surgery | Count | 14 | 1 | 15 | 13 | 1 | 14 | 13 | 2 | 15 | 11 | 0 | 11 | 7 | 0 | 7 |
| | Row % | 93.3% | 6.7% | 100.0% | 92.9% | 7.1% | 100.0% | 86.7% | 13.3% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% |
| Neurosurgery | Count | 14 | 4 | 18 | 20 | 3 | 23 | 16 | 5 | 21 | 11 | 9 | 20 | 14 | 6 | 20 |
| | Row % | 77.8% | 22.2% | 100.0% | 87.0% | 13.0% | 100.0% | 76.2% | 23.8% | 100.0% | 55.0% | 45.0% | 100.0% | 70.0% | 30.0% | 100.0% |
| Obstetrics/Gynecology | Count | 74 | 2 | 76 | 83 | 8 | 91 | 72 | 9 | 81 | 66 | 2 | 68 | 65 | 7 | 72 |
| | Row % | 97.4% | 2.6% | 100.0% | 91.2% | 8.8% | 100.0% | 88.9% | 11.1% | 100.0% | 97.1% | 2.9% | 100.0% | 90.3% | 9.7% | 100.0% |
| Gynecologic Oncology | Count | 5 | 1 | 6 | 5 | 2 | 7 | 9 | 2 | 11 | 6 | 1 | 7 | 10 | 0 | 10 |
| | Row % | 83.3% | 16.7% | 100.0% | 71.4% | 28.6% | 100.0% | 81.8% | 18.2% | 100.0% | 85.7% | 14.3% | 100.0% | 100.0% | 0.0% | 100.0% |
| Gynecologic.Rep.Endocrin. /Infertility | Count | 5 | 1 | 6 | 6 | 0 | 6 | 4 | 2 | 6 | 9 | 0 | 9 | 3 | 2 | 5 |
| | Row % | 83.3% | 16.7% | 100.0% | 100.0% | 0.0% | 100.0% | 66.7% | 33.3% | 100.0% | 100.0% | 0.0% | 100.0% | 60.0% | 40.0% | 100.0% |
| Maternal-Fetal Medicine | Count | 11 | 1 | 12 | 7 | 2 | 9 | 7 | 2 | 9 | 12 | 3 | 15 | 4 | 2 | 6 |
| | Row % | 91.7% | 8.3% | 100.0% | 77.8% | 22.2% | 100.0% | 77.8% | 22.2% | 100.0% | 80.0% | 20.0% | 100.0% | 66.7% | 33.3% | 100.0% |
| Ophthalmology | Count | 43 | 3 | 46 | 37 | 7 | 44 | 41 | 9 | 50 | 46 | 8 | 54 | 29 | 7 | 36 |
| | Row % | 93.5% | 6.5% | 100.0% | 84.1% | 15.9% | 100.0% | 82.0% | 18.0% | 100.0% | 85.2% | 14.8% | 100.0% | 80.6% | 19.4% | 100.0% |
| Otolaryngology - Head and Neck Surgery | Count | 32 | 5 | 37 | 30 | 3 | 33 | 27 | 3 | 30 | 26 | 2 | 28 | 29 | 1 | 30 |
| | Row % | 86.5% | 13.5% | 100.0% | 90.9% | 9.1% | 100.0% | 90.0% | 10.0% | 100.0% | 92.9% | 7.1% | 100.0% | 96.7% | 3.3% | 100.0% |
| Orthopedic Surgery | Count | 69 | 18 | 87 | 65 | 11 | 76 | 50 | 18 | 68 | 60 | 24 | 84 | 52 | 14 | 66 |
| | Row % | 79.3% | 20.7% | 100.0% | 85.5% | 14.5% | 100.0% | 73.5% | 26.5% | 100.0% | 71.4% | 28.6% | 100.0% | 78.8% | 21.2% | 100.0% |
| Plastic Surgery | Count | 27 | 3 | 30 | 24 | 3 | 27 | 28 | 2 | 30 | 22 | 1 | 23 | 32 | 2 | 34 |
| | Row % | 90.0% | 10.0% | 100.0% | 88.9% | 11.1% | 100.0% | 93.3% | 6.7% | 100.0% | 95.7% | 4.3% | 100.0% | 94.1% | 5.9% | 100.0% |
| Urology | Count | 28 | 4 | 32 | 32 | 3 | 35 | 27 | 1 | 28 | 30 | 7 | 37 | 29 | 4 | 33 |
| | Row % | 87.5% | 12.5% | 100.0% | 91.4% | 8.6% | 100.0% | 96.4% | 3.6% | 100.0% | 81.1% | 18.9% | 100.0% | 87.9% | 12.1% | 100.0% |
| SURGICAL SPECIALTIES SUBTOTAL | Count | 427 | 63 | 490 | 414 | 65 | 479 | 387 | 83 | 470 | 386 | 78 | 464 | 349 | 65 | 414 |
| | Row % | 87.1% | 12.9% | 100.0% | 86.4% | 13.6% | 100.0% | 82.3% | 17.7% | 100.0% | 83.2% | 16.8% | 100.0% | 84.3% | 15.7% | 100.0% |
| Addiction Medicine (AFC) | Count | 0 | 0 | 0 | 2 | 0 | 2 | 5 | 0 | 5 | 5 | 0 | 5 | 5 | 0 | 5 |
| | Row % | 0.0% | 0.0% | 0.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% |

Table I-7
TIME SERIES - MOST RECENT FIVE YEARS
Estimated practice entry cohort* by field of post-M.D. training & location of M.D. degree

| Field of Post-M.D. Training | | 2018 | | | 2019 | | | 2020 | | | 2021 | | | 2022 | | |
|--|-------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--------|
| | | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total |
| Adult Cardiac Electrophysiology (AFC) | Count | 3 | 1 | 4 | 3 | 1 | 4 | 3 | 0 | 3 | 2 | 0 | 2 | 2 | 0 | 2 |
| | Row % | 75.0% | 25.0% | 100.0% | 75.0% | 25.0% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% |
| Adult Echocardiography (AFC) | Count | 2 | 1 | 3 | 5 | 1 | 6 | 3 | 3 | 6 | 1 | 3 | 4 | 3 | 0 | 3 |
| | Row % | 66.7% | 33.3% | 100.0% | 83.3% | 16.7% | 100.0% | 50.0% | 50.0% | 100.0% | 25.0% | 75.0% | 100.0% | 100.0% | 0.0% | 100.0% |
| Adult Hepatology (AFC) | Count | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 3 | 0 | 3 |
| | Row % | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 100.0% | 0.0% | 100.0% |
| Adult Interventional Cardiology (AFC) | Count | 3 | 1 | 4 | 2 | 0 | 2 | 4 | 2 | 6 | 4 | 1 | 5 | 3 | 1 | 4 |
| | Row % | 75.0% | 25.0% | 100.0% | 100.0% | 0.0% | 100.0% | 66.7% | 33.3% | 100.0% | 80.0% | 20.0% | 100.0% | 75.0% | 25.0% | 100.0% |
| Adult Thrombosis Medicine (AFC) | Count | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 1 | 0 | 1 | 2 | 0 | 2 |
| | Row % | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% |
| Advanced Heart Failure and Cardiac Transplantation (AFC) | Count | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Row % | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Child Maltreatment Pediatrics (AFC) | Count | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| | Row % | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 0.0% | 100.0% |
| Cytopathology (AFC) | Count | 1 | 1 | 2 | 1 | 0 | 1 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | 0 | 0 |
| | Row % | 50.0% | 50.0% | 100.0% | 100.0% | 0.0% | 100.0% | 0.0% | 100.0% | 100.0% | 100.0% | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% |
| Solid Organ Transplantation (AFC) | Count | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| | Row % | 0.0% | 0.0% | 0.0% | 100.0% | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 0.0% | 100.0% |
| Transfusion Medicine (AFC) | Count | 1 | 0 | 1 | 0 | 0 | 0 | 3 | 0 | 3 | 0 | 1 | 1 | 1 | 0 | 1 |
| | Row % | 100.0% | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 100.0% | 0.0% | 100.0% | 0.0% | 100.0% | 100.0% | 100.0% | 0.0% | 100.0% |
| Trauma General Surgery (AFC) | Count | 0 | 0 | 0 | 1 | 1 | 2 | 1 | 1 | 2 | 0 | 0 | 0 | 2 | 0 | 2 |
| | Row % | 0.0% | 0.0% | 0.0% | 50.0% | 50.0% | 100.0% | 50.0% | 50.0% | 100.0% | 0.0% | 0.0% | 0.0% | 100.0% | 0.0% | 100.0% |
| AREAS OF FOCUSED COMPETENCE SUBTOTAL | Count | 10 | 4 | 14 | 15 | 5 | 20 | 22 | 7 | 29 | 14 | 5 | 19 | 23 | 1 | 24 |
| | Row % | 71.4% | 28.6% | 100.0% | 75.0% | 25.0% | 100.0% | 75.9% | 24.1% | 100.0% | 73.7% | 26.3% | 100.0% | 95.8% | 4.2% | 100.0% |
| Total | Count | 2902 | 641 | 3543 | 2812 | 657 | 3469 | 2815 | 688 | 3503 | 2814 | 656 | 3470 | 2944 | 651 | 3595 |
| | Row % | 81.9% | 18.1% | 100.0% | 81.1% | 18.9% | 100.0% | 80.4% | 19.6% | 100.0% | 81.1% | 18.9% | 100.0% | 81.9% | 18.1% | 100.0% |

* Graduates of Canadian faculties of medicine (new entry group) and International medical graduates who were Canadian citizens or permanent residents (new entry group) at the completion of post-M.D. training.