

Table/Tableau I-8

(Estimated Practice Entry Cohort/la taille approximative de la cohorte qui entre en exercice)*

FIELD OF POST-M.D. TRAINING BY GENDER

2005 to 2009

DOMAINE DE FORMATION POST-M.D. PAR SEXE

Field of Post-M.D. Training		2005			2006			2007			2008			2009		
		Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male	Total
Non-Specialized Upgrading	Count	5	5	10	2	3	5	0	0	0	0	0	0	0	0	0
	Row %	50.0%	50.0%	100.0%	40.0%	60.0%	100.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%
NON-SPECIALIZED TRAINING SUBTOTAL	Count	5	5	10	2	3	5	0	0	0	0	0	0	0	0	0
	Row %	50.0%	50.0%	100.0%	40.0%	60.0%	100.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%
Family Medicine	Count	328	190	518	392	186	578	448	201	649	525	233	758	503	230	733
	Row %	63.3%	36.7%	100.0%	67.8%	32.2%	100.0%	69.0%	31.0%	100.0%	69.3%	30.7%	100.0%	68.6%	31.4%	100.0%
Emergency Medicine (CFPC)	Count	45	46	91	45	43	88	36	46	82	59	43	102	50	57	107
	Row %	49.5%	50.5%	100.0%	51.1%	48.9%	100.0%	43.9%	56.1%	100.0%	57.8%	42.2%	100.0%	46.7%	53.3%	100.0%
Care of the Elderly (CFPC)	Count	4	3	7	8	1	9	6	2	8	8	2	10	6	2	8
	Row %	57.1%	42.9%	100.0%	88.9%	11.1%	100.0%	75.0%	25.0%	100.0%	80.0%	20.0%	100.0%	75.0%	25.0%	100.0%
Enhanced Skills: Other Fam. Med. Training	Count	34	25	59	24	14	38	29	18	47	35	12	47	42	19	61
	Row %	57.6%	42.4%	100.0%	63.2%	36.8%	100.0%	61.7%	38.3%	100.0%	74.5%	25.5%	100.0%	68.9%	31.1%	100.0%
FAMILY MEDICINE SUBTOTAL	Count	411	264	675	469	244	713	519	267	786	627	290	917	601	308	909
	Row %	60.9%	39.1%	100.0%	65.8%	34.2%	100.0%	66.0%	34.0%	100.0%	68.4%	31.6%	100.0%	66.1%	33.9%	100.0%
Palliative Medicine	Count	8	5	13	10	4	14	7	4	11	6	4	10	11	2	13
	Row %	61.5%	38.5%	100.0%	71.4%	28.6%	100.0%	63.6%	36.4%	100.0%	60.0%	40.0%	100.0%	84.6%	15.4%	100.0%
TRAINING FOLLOWING FAMILY MEDICINE OR SPECIALTY SUBTOTAL	Count	8	5	13	10	4	14	7	4	11	6	4	10	11	2	13
	Row %	61.5%	38.5%	100.0%	71.4%	28.6%	100.0%	63.6%	36.4%	100.0%	60.0%	40.0%	100.0%	84.6%	15.4%	100.0%
Anesthesiology	Count	37	57	94	35	55	90	33	57	90	46	53	99	40	55	95
	Row %	39.4%	60.6%	100.0%	38.9%	61.1%	100.0%	36.7%	63.3%	100.0%	46.5%	53.5%	100.0%	42.1%	57.9%	100.0%
Critical Care (Anes.)	Count	0	1	1	1	3	4	0	6	6	0	3	3	4	7	11
	Row %	.0%	100.0%	100.0%	25.0%	75.0%	100.0%	.0%	100.0%	100.0%	.0%	100.0%	100.0%	36.4%	63.6%	100.0%
Transfusion Medicine (Anes.)	Count	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
	Row %	.0%	.0%	.0%	.0%	100.0%	100.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%
Community Medicine	Count	9	6	15	8	1	9	5	4	9	9	3	12	8	5	13
	Row %	60.0%	40.0%	100.0%	88.9%	11.1%	100.0%	55.6%	44.4%	100.0%	75.0%	25.0%	100.0%	61.5%	38.5%	100.0%
Dermatology	Count	3	3	6	8	7	15	6	4	10	4	6	10	9	5	14
	Row %	50.0%	50.0%	100.0%	53.3%	46.7%	100.0%	60.0%	40.0%	100.0%	40.0%	60.0%	100.0%	64.3%	35.7%	100.0%
Diagnostic Radiology	Count	33	43	76	29	39	68	28	42	70	25	47	72	30	37	67
	Row %	43.4%	56.6%	100.0%	42.6%	57.4%	100.0%	40.0%	60.0%	100.0%	34.7%	65.3%	100.0%	44.8%	55.2%	100.0%
Neuroradiology	Count	0	1	1	3	1	4	3	3	6	1	3	4	1	4	5
	Row %	.0%	100.0%	100.0%	75.0%	25.0%	100.0%	50.0%	50.0%	100.0%	25.0%	75.0%	100.0%	20.0%	80.0%	100.0%
Pediatric Diagnostic Radiology	Count	2	0	2	2	2	4	1	0	1	0	1	1	0	0	0
	Row %	100.0%	.0%	100.0%	50.0%	50.0%	100.0%	100.0%	.0%	100.0%	.0%	100.0%	100.0%	.0%	.0%	.0%
Emergency Medicine (RCPSC)	Count	12	13	25	11	15	26	8	17	25	12	12	24	12	17	29
	Row %	48.0%	52.0%	100.0%	42.3%	57.7%	100.0%	32.0%	68.0%	100.0%	50.0%	50.0%	100.0%	41.4%	58.6%	100.0%
Critical Care (Emergency Med.)	Count	0	1	1	0	1	1	1	0	1	0	5	5	0	2	2
	Row %	.0%	100.0%	100.0%	.0%	100.0%	100.0%	100.0%	.0%	100.0%	.0%	100.0%	100.0%	.0%	100.0%	100.0%

(continued)

Table/Tableau I-8

(Estimated Practice Entry Cohort/la taille approximative de la cohorte qui entre en exercice)*

FIELD OF POST-M.D. TRAINING BY GENDER

2005 to 2009

DOMAINE DE FORMATION POST-M.D. PAR SEXE

Field of Post-M.D. Training		2005			2006			2007			2008			2009		
		Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male	Total
Pediatric Emergency Medicine	Count	2	2	4	5	2	7	1	1	2	0	0	0	0	0	0
	Row %	50.0%	50.0%	100.0%	71.4%	28.6%	100.0%	50.0%	50.0%	100.0%	.0%	.0%	.0%	.0%	.0%	.0%
Internal Medicine	Count	20	19	39	18	15	33	18	20	38	34	25	59	28	19	47
	Row %	51.3%	48.7%	100.0%	54.5%	45.5%	100.0%	47.4%	52.6%	100.0%	57.6%	42.4%	100.0%	59.6%	40.4%	100.0%
Cardiology (Int.Med.)	Count	12	27	39	6	37	43	21	31	52	10	33	43	13	33	46
	Row %	30.8%	69.2%	100.0%	14.0%	86.0%	100.0%	40.4%	59.6%	100.0%	23.3%	76.7%	100.0%	28.3%	71.7%	100.0%
Clin. Imm./Allergy (Int.Med.)	Count	0	1	1	1	0	1	3	0	3	2	2	4	0	1	1
	Row %	.0%	100.0%	100.0%	100.0%	.0%	100.0%	100.0%	.0%	100.0%	50.0%	50.0%	100.0%	.0%	100.0%	100.0%
Clin. Pharmacology (Int.Med.)	Count	0	0	0	0	1	1	0	0	0	1	0	1	0	0	0
	Row %	.0%	.0%	.0%	.0%	100.0%	100.0%	.0%	.0%	.0%	100.0%	.0%	100.0%	.0%	.0%	.0%
Critical Care (Int.Med.)	Count	4	16	20	6	12	18	5	11	16	4	10	14	4	16	20
	Row %	20.0%	80.0%	100.0%	33.3%	66.7%	100.0%	31.3%	68.8%	100.0%	28.6%	71.4%	100.0%	20.0%	80.0%	100.0%
Endocrinology/Met. (Int.Med.)	Count	13	2	15	8	4	12	9	2	11	11	4	15	14	4	18
	Row %	86.7%	13.3%	100.0%	66.7%	33.3%	100.0%	81.8%	18.2%	100.0%	73.3%	26.7%	100.0%	77.8%	22.2%	100.0%
Gastroenterology (Int.Med.)	Count	14	19	33	12	15	27	10	22	32	15	23	38	6	18	24
	Row %	42.4%	57.6%	100.0%	44.4%	55.6%	100.0%	31.3%	68.8%	100.0%	39.5%	60.5%	100.0%	25.0%	75.0%	100.0%
Geriatric Medicine (Int.Med.)	Count	4	1	5	0	2	2	4	1	5	4	2	6	9	2	11
	Row %	80.0%	20.0%	100.0%	.0%	100.0%	100.0%	80.0%	20.0%	100.0%	66.7%	33.3%	100.0%	81.8%	18.2%	100.0%
Hematology (Int.Med.)	Count	4	7	11	9	2	11	10	5	15	8	7	15	5	8	13
	Row %	36.4%	63.6%	100.0%	81.8%	18.2%	100.0%	66.7%	33.3%	100.0%	53.3%	46.7%	100.0%	38.5%	61.5%	100.0%
Infectious Diseases (Int.Med.)	Count	3	2	5	3	2	5	3	7	10	4	3	7	4	2	6
	Row %	60.0%	40.0%	100.0%	60.0%	40.0%	100.0%	30.0%	70.0%	100.0%	57.1%	42.9%	100.0%	66.7%	33.3%	100.0%
Medical Oncology (Int.Med.)	Count	18	7	25	11	15	26	9	12	21	14	10	24	18	10	28
	Row %	72.0%	28.0%	100.0%	42.3%	57.7%	100.0%	42.9%	57.1%	100.0%	58.3%	41.7%	100.0%	64.3%	35.7%	100.0%
Nephrology (Int.Med.)	Count	16	17	33	14	15	29	6	20	26	6	11	17	10	19	29
	Row %	48.5%	51.5%	100.0%	48.3%	51.7%	100.0%	23.1%	76.9%	100.0%	35.3%	64.7%	100.0%	34.5%	65.5%	100.0%
Respirology (Int.Med.)	Count	8	10	18	3	14	17	8	10	18	11	10	21	10	12	22
	Row %	44.4%	55.6%	100.0%	17.6%	82.4%	100.0%	44.4%	55.6%	100.0%	52.4%	47.6%	100.0%	45.5%	54.5%	100.0%
Rheumatology (Int.Med.)	Count	7	2	9	7	3	10	10	1	11	10	3	13	6	4	10
	Row %	77.8%	22.2%	100.0%	70.0%	30.0%	100.0%	90.9%	9.1%	100.0%	76.9%	23.1%	100.0%	60.0%	40.0%	100.0%
Transfusion Med. (Int.Med.)	Count	1	0	1	0	0	0	2	0	2	2	0	2	0	0	0
	Row %	100.0%	.0%	100.0%	.0%	.0%	.0%	100.0%	.0%	100.0%	100.0%	.0%	100.0%	.0%	.0%	.0%
Medical Genetics	Count	2	1	3	3	1	4	3	1	4	6	1	7	1	1	2
	Row %	66.7%	33.3%	100.0%	75.0%	25.0%	100.0%	75.0%	25.0%	100.0%	85.7%	14.3%	100.0%	50.0%	50.0%	100.0%
Neurology	Count	7	20	27	11	13	24	9	16	25	13	15	28	18	14	32
	Row %	25.9%	74.1%	100.0%	45.8%	54.2%	100.0%	36.0%	64.0%	100.0%	46.4%	53.6%	100.0%	56.3%	43.8%	100.0%
Neurology (Pediatrics)	Count	4	3	7	4	2	6	4	2	6	3	2	5	2	2	4
	Row %	57.1%	42.9%	100.0%	66.7%	33.3%	100.0%	66.7%	33.3%	100.0%	60.0%	40.0%	100.0%	50.0%	50.0%	100.0%

(continued)

Table/Tableau I-8

(Estimated Practice Entry Cohort/la taille approximative de la cohorte qui entre en exercice)*

FIELD OF POST-M.D. TRAINING BY GENDER

2005 to 2009

DOMAINE DE FORMATION POST-M.D. PAR SEXE

Field of Post-M.D. Training		2005			2006			2007			2008			2009		
		Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male	Total
Nuclear Medicine	Count	0	2	2	2	9	11	3	4	7	0	8	8	1	4	5
	Row %	.0%	100.0%	100.0%	18.2%	81.8%	100.0%	42.9%	57.1%	100.0%	.0%	100.0%	100.0%	20.0%	80.0%	100.0%
Occupational Medicine	Count	1	1	2	1	1	2	0	2	2	0	0	0	1	0	1
	Row %	50.0%	50.0%	100.0%	50.0%	50.0%	100.0%	.0%	100.0%	100.0%	.0%	.0%	.0%	100.0%	.0%	100.0%
Pediatrics	Count	32	9	41	26	9	35	35	8	43	37	10	47	27	8	35
	Row %	78.0%	22.0%	100.0%	74.3%	25.7%	100.0%	81.4%	18.6%	100.0%	78.7%	21.3%	100.0%	77.1%	22.9%	100.0%
Cardiology (Ped.)	Count	2	3	5	2	1	3	1	1	2	2	1	3	2	2	4
	Row %	40.0%	60.0%	100.0%	66.7%	33.3%	100.0%	50.0%	50.0%	100.0%	66.7%	33.3%	100.0%	50.0%	50.0%	100.0%
Clin. Imm./Allergy (Ped.)	Count	3	1	4	0	2	2	1	3	4	2	0	2	1	3	4
	Row %	75.0%	25.0%	100.0%	.0%	100.0%	100.0%	25.0%	75.0%	100.0%	100.0%	.0%	100.0%	25.0%	75.0%	100.0%
Clinical Pharmacology (Ped.)	Count	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
	Row %	.0%	.0%	.0%	.0%	100.0%	100.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%
Critical Care (Ped.)	Count	4	4	8	2	1	3	2	2	4	6	1	7	2	2	4
	Row %	50.0%	50.0%	100.0%	66.7%	33.3%	100.0%	50.0%	50.0%	100.0%	85.7%	14.3%	100.0%	50.0%	50.0%	100.0%
Endocrinology/Met. (Ped.)	Count	4	1	5	5	0	5	2	1	3	6	1	7	2	2	4
	Row %	80.0%	20.0%	100.0%	100.0%	.0%	100.0%	66.7%	33.3%	100.0%	85.7%	14.3%	100.0%	50.0%	50.0%	100.0%
Gastroenterology (Ped.)	Count	3	1	4	1	0	1	0	0	0	0	2	2	5	2	7
	Row %	75.0%	25.0%	100.0%	100.0%	.0%	100.0%	.0%	.0%	.0%	.0%	100.0%	100.0%	71.4%	28.6%	100.0%
Developmental Pediatrics	Count	0	0	0	0	1	1	4	1	5	5	1	6	1	0	1
	Row %	.0%	.0%	.0%	.0%	100.0%	100.0%	80.0%	20.0%	100.0%	83.3%	16.7%	100.0%	100.0%	.0%	100.0%
Pediatric Emergency Med. (Ped.)	Count	2	2	4	4	3	7	4	1	5	2	2	4	7	9	16
	Row %	50.0%	50.0%	100.0%	57.1%	42.9%	100.0%	80.0%	20.0%	100.0%	50.0%	50.0%	100.0%	43.8%	56.3%	100.0%
Hematology/Oncology (Ped.)	Count	0	2	2	5	2	7	3	2	5	3	3	6	3	3	6
	Row %	.0%	100.0%	100.0%	71.4%	28.6%	100.0%	60.0%	40.0%	100.0%	50.0%	50.0%	100.0%	50.0%	50.0%	100.0%
Infectious Diseases (Ped.)	Count	3	1	4	4	0	4	1	1	2	3	1	4	2	2	4
	Row %	75.0%	25.0%	100.0%	100.0%	.0%	100.0%	50.0%	50.0%	100.0%	75.0%	25.0%	100.0%	50.0%	50.0%	100.0%
Neonatal-Perinatal Med. (Ped.)	Count	6	1	7	3	3	6	5	5	10	5	4	9	7	2	9
	Row %	85.7%	14.3%	100.0%	50.0%	50.0%	100.0%	50.0%	50.0%	100.0%	55.6%	44.4%	100.0%	77.8%	22.2%	100.0%
Nephrology (Ped.)	Count	1	2	3	2	1	3	3	2	5	2	0	2	3	2	5
	Row %	33.3%	66.7%	100.0%	66.7%	33.3%	100.0%	60.0%	40.0%	100.0%	100.0%	.0%	100.0%	60.0%	40.0%	100.0%
Respirology (Ped.)	Count	1	0	1	3	0	3	1	1	2	2	1	3	2	0	2
	Row %	100.0%	.0%	100.0%	100.0%	.0%	100.0%	50.0%	50.0%	100.0%	66.7%	33.3%	100.0%	100.0%	.0%	100.0%
Rheumatology (Ped.)	Count	1	0	1	0	0	0	2	0	2	2	0	2	0	0	0
	Row %	100.0%	.0%	100.0%	.0%	.0%	.0%	100.0%	.0%	100.0%	100.0%	.0%	100.0%	.0%	.0%	.0%
Physical Medicine & Rehab.	Count	2	5	7	11	10	21	5	7	12	3	6	9	8	5	13
	Row %	28.6%	71.4%	100.0%	52.4%	47.6%	100.0%	41.7%	58.3%	100.0%	33.3%	66.7%	100.0%	61.5%	38.5%	100.0%
Psychiatry	Count	62	46	108	57	53	110	57	34	91	63	46	109	74	45	119
	Row %	57.4%	42.6%	100.0%	51.8%	48.2%	100.0%	62.6%	37.4%	100.0%	57.8%	42.2%	100.0%	62.2%	37.8%	100.0%

(continued)

Table/Tableau I-8

(Estimated Practice Entry Cohort/la taille approximative de la cohorte qui entre en exercice)*

FIELD OF POST-M.D. TRAINING BY GENDER

2005 to 2009

DOMAINE DE FORMATION POST-M.D. PAR SEXE

Field of Post-M.D. Training		2005			2006			2007			2008			2009		
		Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male	Total
Radiation Oncology	Count	5	10	15	9	9	18	16	11	27	5	20	25	9	20	29
	Row %	33.3%	66.7%	100.0%	50.0%	50.0%	100.0%	59.3%	40.7%	100.0%	20.0%	80.0%	100.0%	31.0%	69.0%	100.0%
MEDICAL SPECIALTIES SUBTOTAL	Count	367	372	739	355	386	741	365	381	746	403	401	804	409	408	817
	Row %	49.7%	50.3%	100.0%	47.9%	52.1%	100.0%	48.9%	51.1%	100.0%	50.1%	49.9%	100.0%	50.1%	49.9%	100.0%
Anatomical Pathology	Count	10	6	16	16	10	26	15	8	23	14	14	28	16	21	37
	Row %	62.5%	37.5%	100.0%	61.5%	38.5%	100.0%	65.2%	34.8%	100.0%	50.0%	50.0%	100.0%	43.2%	56.8%	100.0%
General Pathology	Count	1	2	3	2	4	6	3	7	10	1	2	3	1	6	7
	Row %	33.3%	66.7%	100.0%	33.3%	66.7%	100.0%	30.0%	70.0%	100.0%	33.3%	66.7%	100.0%	14.3%	85.7%	100.0%
Hematological Pathology	Count	0	3	3	2	2	4	1	1	2	2	1	3	1	3	4
	Row %	.0%	100.0%	100.0%	50.0%	50.0%	100.0%	50.0%	50.0%	100.0%	66.7%	33.3%	100.0%	25.0%	75.0%	100.0%
Transfusion Med. (Hem.Path.)	Count	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
	Row %	.0%	.0%	.0%	.0%	.0%	.0%	100.0%	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	.0%
Medical Biochemistry	Count	0	3	3	0	2	2	0	2	2	1	1	2	0	1	1
	Row %	.0%	100.0%	100.0%	.0%	100.0%	100.0%	.0%	100.0%	100.0%	50.0%	50.0%	100.0%	.0%	100.0%	100.0%
Medical Microbiology	Count	3	2	5	2	1	3	2	3	5	8	9	17	6	6	12
	Row %	60.0%	40.0%	100.0%	66.7%	33.3%	100.0%	40.0%	60.0%	100.0%	47.1%	52.9%	100.0%	50.0%	50.0%	100.0%
Neuropathology	Count	1	0	1	0	1	1	0	0	0	1	0	1	2	1	3
	Row %	100.0%	.0%	100.0%	.0%	100.0%	100.0%	.0%	.0%	.0%	100.0%	.0%	100.0%	66.7%	33.3%	100.0%
LAB MEDICINE SPECIALTIES SUBTOTAL	Count	15	16	31	22	20	42	22	21	43	27	27	54	26	38	64
	Row %	48.4%	51.6%	100.0%	52.4%	47.6%	100.0%	51.2%	48.8%	100.0%	50.0%	50.0%	100.0%	40.6%	59.4%	100.0%
Cardiac Surgery	Count	1	10	11	0	10	10	1	5	6	0	9	9	1	8	9
	Row %	9.1%	90.9%	100.0%	.0%	100.0%	100.0%	16.7%	83.3%	100.0%	.0%	100.0%	100.0%	11.1%	88.9%	100.0%
Critical Care (Cardiac Surg.)	Count	0	0	0	0	0	0	0	1	1	0	2	2	0	1	1
	Row %	.0%	.0%	.0%	.0%	.0%	.0%	.0%	100.0%	100.0%	.0%	100.0%	100.0%	.0%	100.0%	100.0%
General Surgery	Count	15	40	55	10	37	47	16	38	54	17	33	50	24	45	69
	Row %	27.3%	72.7%	100.0%	21.3%	78.7%	100.0%	29.6%	70.4%	100.0%	34.0%	66.0%	100.0%	34.8%	65.2%	100.0%
Colorectal Surgery	Count	0	0	0	2	2	4	0	0	0	1	1	2	0	0	0
	Row %	.0%	.0%	.0%	50.0%	50.0%	100.0%	.0%	.0%	.0%	50.0%	50.0%	100.0%	.0%	.0%	.0%
Critical Care (Surgery)	Count	1	2	3	1	2	3	0	3	3	3	4	7	2	0	2
	Row %	33.3%	66.7%	100.0%	33.3%	66.7%	100.0%	.0%	100.0%	100.0%	42.9%	57.1%	100.0%	100.0%	.0%	100.0%
Gen. Surgical Oncology	Count	2	2	4	1	2	3	1	1	2	2	1	3	0	5	5
	Row %	50.0%	50.0%	100.0%	33.3%	66.7%	100.0%	50.0%	50.0%	100.0%	66.7%	33.3%	100.0%	.0%	100.0%	100.0%
Pediatric General Surgery	Count	5	0	5	2	0	2	1	1	2	0	0	0	0	3	3
	Row %	100.0%	.0%	100.0%	100.0%	.0%	100.0%	50.0%	50.0%	100.0%	.0%	.0%	.0%	.0%	100.0%	100.0%
Thoracic Surgery	Count	0	6	6	2	4	6	1	2	3	1	5	6	0	3	3
	Row %	.0%	100.0%	100.0%	33.3%	66.7%	100.0%	33.3%	66.7%	100.0%	16.7%	83.3%	100.0%	.0%	100.0%	100.0%
Vascular Surgery	Count	1	2	3	2	4	6	2	6	8	0	3	3	1	3	4
	Row %	33.3%	66.7%	100.0%	33.3%	66.7%	100.0%	25.0%	75.0%	100.0%	.0%	100.0%	100.0%	25.0%	75.0%	100.0%

(continued)

Table/Tableau I-8

(Estimated Practice Entry Cohort/la taille approximative de la cohorte qui entre en exercice)*

FIELD OF POST-M.D. TRAINING BY GENDER

2005 to 2009

DOMAINE DE FORMATION POST-M.D. PAR SEXE

Field of Post-M.D. Training		2005			2006			2007			2008			2009		
		Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male	Total
Neurosurgery	Count	3	14	17	4	8	12	4	9	13	3	13	16	4	10	14
	Row %	17.6%	82.4%	100.0%	33.3%	66.7%	100.0%	30.8%	69.2%	100.0%	18.8%	81.3%	100.0%	28.6%	71.4%	100.0%
Obstetrics/Gynecology	Count	35	9	44	36	10	46	43	10	53	40	6	46	45	14	59
	Row %	79.5%	20.5%	100.0%	78.3%	21.7%	100.0%	81.1%	18.9%	100.0%	87.0%	13.0%	100.0%	76.3%	23.7%	100.0%
Gyn. Oncology	Count	3	1	4	1	0	1	0	0	0	3	1	4	2	0	2
	Row %	75.0%	25.0%	100.0%	100.0%	.0%	100.0%	.0%	.0%	.0%	75.0%	25.0%	100.0%	100.0%	.0%	100.0%
Gyn.Rep.Endocrin./Infertility	Count	1	1	2	3	2	5	1	1	2	2	2	4	3	1	4
	Row %	50.0%	50.0%	100.0%	60.0%	40.0%	100.0%	50.0%	50.0%	100.0%	50.0%	50.0%	100.0%	75.0%	25.0%	100.0%
Maternal-Fetal Med. (Ob.)	Count	3	1	4	2	2	4	3	2	5	3	1	4	3	1	4
	Row %	75.0%	25.0%	100.0%	50.0%	50.0%	100.0%	60.0%	40.0%	100.0%	75.0%	25.0%	100.0%	75.0%	25.0%	100.0%
Ophthalmology	Count	8	15	23	8	25	33	6	19	25	11	16	27	10	27	37
	Row %	34.8%	65.2%	100.0%	24.2%	75.8%	100.0%	24.0%	76.0%	100.0%	40.7%	59.3%	100.0%	27.0%	73.0%	100.0%
Otolaryngology - Head and Neck Surgery	Count	7	20	27	9	16	25	4	17	21	8	12	20	6	19	25
	Row %	25.9%	74.1%	100.0%	36.0%	64.0%	100.0%	19.0%	81.0%	100.0%	40.0%	60.0%	100.0%	24.0%	76.0%	100.0%
Orthopedic Surgery	Count	5	39	44	6	49	55	6	40	46	9	44	53	11	49	60
	Row %	11.4%	88.6%	100.0%	10.9%	89.1%	100.0%	13.0%	87.0%	100.0%	17.0%	83.0%	100.0%	18.3%	81.7%	100.0%
Plastic Surgery	Count	9	8	17	3	12	15	7	10	17	6	15	21	6	12	18
	Row %	52.9%	47.1%	100.0%	20.0%	80.0%	100.0%	41.2%	58.8%	100.0%	28.6%	71.4%	100.0%	33.3%	66.7%	100.0%
Urology	Count	3	24	27	0	11	11	5	24	29	2	20	22	1	17	18
	Row %	11.1%	88.9%	100.0%	.0%	100.0%	100.0%	17.2%	82.8%	100.0%	9.1%	90.9%	100.0%	5.6%	94.4%	100.0%
SURGICAL SPECIALTIES SUBTOTAL	Count	102	194	296	92	196	288	101	189	290	111	188	299	119	218	337
	Row %	34.5%	65.5%	100.0%	31.9%	68.1%	100.0%	34.8%	65.2%	100.0%	37.1%	62.9%	100.0%	35.3%	64.7%	100.0%
Total	Count	908	856	1764	950	853	1803	1014	862	1876	1174	910	2084	1166	974	2140
	Row %	51.5%	48.5%	100.0%	52.7%	47.3%	100.0%	54.1%	45.9%	100.0%	56.3%	43.7%	100.0%	54.5%	45.5%	100.0%

* Graduates of Canadian faculties of medicine (new entry group) and International medical graduates who were Canadian citizens or permanent residents (new entry group) at the completion of post-M.D. training.