

Table I-4
TIME SERIES - MOST RECENT FIVE YEARS
Field of post-M.D. training & location of M.D. degree

| Field of Post-M.D. Training | | 2021-22 | | | 2022-23 | | | 2023-24 | | | 2024-25 | | | 2025-26 | | |
|---|-------|---------|----------------|---------------|---------|----------------|---------------|---------|----------------|---------------|---------|----------------|---------------|---------|----------------|---------------|
| | | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total |
| Family Medicine | Count | 2690 | 549 | 3239 | 2605 | 547 | 3152 | 2539 | 698 | 3237 | 2558 | 859 | 3417 | 2538 | 1093 | 3631 |
| | Row % | 83.1% | 16.9% | 100.0% | 82.6% | 17.4% | 100.0% | 78.4% | 21.6% | 100.0% | 74.9% | 25.1% | 100.0% | 69.9% | 30.1% | 100.0% |
| Emergency Medicine (CFPC) | Count | 121 | 11 | 132 | 125 | 12 | 137 | 140 | 9 | 149 | 145 | 17 | 162 | 140 | 17 | 157 |
| | Row % | 91.7% | 8.3% | 100.0% | 91.2% | 8.8% | 100.0% | 94.0% | 6.0% | 100.0% | 89.5% | 10.5% | 100.0% | 89.2% | 10.8% | 100.0% |
| Care of the Elderly (CFPC) | Count | 18 | 7 | 25 | 19 | 3 | 22 | 19 | 4 | 23 | 14 | 5 | 19 | 9 | 6 | 15 |
| | Row % | 72.0% | 28.0% | 100.0% | 86.4% | 13.6% | 100.0% | 82.6% | 17.4% | 100.0% | 73.7% | 26.3% | 100.0% | 60.0% | 40.0% | 100.0% |
| Enhanced Skills: Anesthesia (CFPC) | Count | 25 | 1 | 26 | 25 | 2 | 27 | 18 | 11 | 29 | 21 | 8 | 29 | 20 | 12 | 32 |
| | Row % | 96.2% | 3.8% | 100.0% | 92.6% | 7.4% | 100.0% | 62.1% | 37.9% | 100.0% | 72.4% | 27.6% | 100.0% | 62.5% | 37.5% | 100.0% |
| Enhanced Skills: Palliative Care (CFPC) | Count | 31 | 5 | 36 | 33 | 6 | 39 | 32 | 8 | 40 | 30 | 4 | 34 | 32 | 7 | 39 |
| | Row % | 86.1% | 13.9% | 100.0% | 84.6% | 15.4% | 100.0% | 80.0% | 20.0% | 100.0% | 88.2% | 11.8% | 100.0% | 82.1% | 17.9% | 100.0% |
| Enhanced Skills: Sports Medicine (CFPC) | Count | 13 | 2 | 15 | 15 | 2 | 17 | 18 | 5 | 23 | 14 | 3 | 17 | 20 | 3 | 23 |
| | Row % | 86.7% | 13.3% | 100.0% | 88.2% | 11.8% | 100.0% | 78.3% | 21.7% | 100.0% | 82.4% | 17.6% | 100.0% | 87.0% | 13.0% | 100.0% |
| Enhanced Skills: Other Fam. Med. Training | Count | 117 | 17 | 134 | 96 | 17 | 113 | 97 | 31 | 128 | 113 | 26 | 139 | 109 | 41 | 150 |
| | Row % | 87.3% | 12.7% | 100.0% | 85.0% | 15.0% | 100.0% | 75.8% | 24.2% | 100.0% | 81.3% | 18.7% | 100.0% | 72.7% | 27.3% | 100.0% |
| FAMILY MEDICINE SUBTOTAL | Count | 3015 | 592 | 3607 | 2918 | 589 | 3507 | 2863 | 766 | 3629 | 2895 | 922 | 3817 | 2868 | 1179 | 4047 |
| | Row % | 83.6% | 16.4% | 100.0% | 83.2% | 16.8% | 100.0% | 78.9% | 21.1% | 100.0% | 75.8% | 24.2% | 100.0% | 70.9% | 29.1% | 100.0% |
| Anesthesiology | Count | 620 | 249 | 869 | 658 | 263 | 921 | 688 | 256 | 944 | 731 | 281 | 1012 | 764 | 295 | 1059 |
| | Row % | 71.3% | 28.7% | 100.0% | 71.4% | 28.6% | 100.0% | 72.9% | 27.1% | 100.0% | 72.2% | 27.8% | 100.0% | 72.1% | 27.9% | 100.0% |
| Critical Care (Anes.) | Count | 9 | 1 | 10 | 8 | 3 | 11 | 8 | 4 | 12 | 5 | 2 | 7 | 10 | 1 | 11 |
| | Row % | 90.0% | 10.0% | 100.0% | 72.7% | 27.3% | 100.0% | 66.7% | 33.3% | 100.0% | 71.4% | 28.6% | 100.0% | 90.9% | 9.1% | 100.0% |
| Pain Medicine (Anes.) | Count | 11 | 3 | 14 | 7 | 6 | 13 | 10 | 6 | 16 | 13 | 7 | 20 | 13 | 4 | 17 |
| | Row % | 78.6% | 21.4% | 100.0% | 53.8% | 46.2% | 100.0% | 62.5% | 37.5% | 100.0% | 65.0% | 35.0% | 100.0% | 76.5% | 23.5% | 100.0% |
| Transfusion Medicine (Anes.) | Count | 1 | 2 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Row % | 33.3% | 66.7% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Public Health and Preventive Medicine | Count | 110 | 21 | 131 | 115 | 21 | 136 | 121 | 27 | 148 | 101 | 39 | 140 | 98 | 43 | 141 |
| | Row % | 84.0% | 16.0% | 100.0% | 84.6% | 15.4% | 100.0% | 81.8% | 18.2% | 100.0% | 72.1% | 27.9% | 100.0% | 69.5% | 30.5% | 100.0% |
| Dermatology | Count | 164 | 27 | 191 | 161 | 30 | 191 | 158 | 31 | 189 | 155 | 33 | 188 | 160 | 41 | 201 |
| | Row % | 85.9% | 14.1% | 100.0% | 84.3% | 15.7% | 100.0% | 83.6% | 16.4% | 100.0% | 82.4% | 17.6% | 100.0% | 79.6% | 20.4% | 100.0% |
| Diagnostic Radiology | Count | 436 | 226 | 662 | 437 | 235 | 672 | 427 | 268 | 695 | 447 | 272 | 719 | 458 | 265 | 723 |
| | Row % | 65.9% | 34.1% | 100.0% | 65.0% | 35.0% | 100.0% | 61.4% | 38.6% | 100.0% | 62.2% | 37.8% | 100.0% | 63.3% | 36.7% | 100.0% |
| Interventional Radiology | Count | 3 | 6 | 9 | 8 | 7 | 15 | 4 | 7 | 11 | 3 | 11 | 14 | 4 | 13 | 17 |
| | Row % | 33.3% | 66.7% | 100.0% | 53.3% | 46.7% | 100.0% | 36.4% | 63.6% | 100.0% | 21.4% | 78.6% | 100.0% | 23.5% | 76.5% | 100.0% |

Table I-4
TIME SERIES - MOST RECENT FIVE YEARS
Field of post-M.D. training & location of M.D. degree

| Field of Post-M.D. Training | | 2021-22 | | | 2022-23 | | | 2023-24 | | | 2024-25 | | | 2025-26 | | |
|--|-------|---------|----------------|--------|---------|----------------|--------|---------|----------------|--------|---------|----------------|--------|---------|----------------|--------|
| | | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total |
| Neuroradiology | Count | 8 | 29 | 37 | 6 | 40 | 46 | 11 | 33 | 44 | 8 | 37 | 45 | 16 | 35 | 51 |
| | Row % | 21.6% | 78.4% | 100.0% | 13.0% | 87.0% | 100.0% | 25.0% | 75.0% | 100.0% | 17.8% | 82.2% | 100.0% | 31.4% | 68.6% | 100.0% |
| Pediatric Radiology | Count | 2 | 34 | 36 | 3 | 31 | 34 | 1 | 33 | 34 | 2 | 34 | 36 | 1 | 29 | 30 |
| | Row % | 5.6% | 94.4% | 100.0% | 8.8% | 91.2% | 100.0% | 2.9% | 97.1% | 100.0% | 5.6% | 94.4% | 100.0% | 3.3% | 96.7% | 100.0% |
| Emergency Medicine (Royal College) | Count | 369 | 68 | 437 | 371 | 66 | 437 | 367 | 67 | 434 | 377 | 69 | 446 | 400 | 72 | 472 |
| | Row % | 84.4% | 15.6% | 100.0% | 84.9% | 15.1% | 100.0% | 84.6% | 15.4% | 100.0% | 84.5% | 15.5% | 100.0% | 84.7% | 15.3% | 100.0% |
| Critical Care (Emergency Med.) | Count | 7 | 3 | 10 | 5 | 2 | 7 | 11 | 3 | 14 | 13 | 3 | 16 | 11 | 3 | 14 |
| | Row % | 70.0% | 30.0% | 100.0% | 71.4% | 28.6% | 100.0% | 78.6% | 21.4% | 100.0% | 81.3% | 18.8% | 100.0% | 78.6% | 21.4% | 100.0% |
| Pediatric Emergency Medicine | Count | 4 | 1 | 5 | 1 | 0 | 1 | 1 | 3 | 4 | 2 | 2 | 4 | 2 | 25 | 27 |
| | Row % | 80.0% | 20.0% | 100.0% | 100.0% | 0.0% | 100.0% | 25.0% | 75.0% | 100.0% | 50.0% | 50.0% | 100.0% | 7.4% | 92.6% | 100.0% |
| Internal Medicine | Count | 1462 | 320 | 1782 | 1452 | 325 | 1777 | 1476 | 335 | 1811 | 1508 | 344 | 1852 | 1523 | 367 | 1890 |
| | Row % | 82.0% | 18.0% | 100.0% | 81.7% | 18.3% | 100.0% | 81.5% | 18.5% | 100.0% | 81.4% | 18.6% | 100.0% | 80.6% | 19.4% | 100.0% |
| Cardiology (Int.Med.) | Count | 199 | 184 | 383 | 202 | 194 | 396 | 195 | 189 | 384 | 200 | 189 | 389 | 204 | 185 | 389 |
| | Row % | 52.0% | 48.0% | 100.0% | 51.0% | 49.0% | 100.0% | 50.8% | 49.2% | 100.0% | 51.4% | 48.6% | 100.0% | 52.4% | 47.6% | 100.0% |
| Clinical Immunology and Allergy (Int.Med.) | Count | 25 | 6 | 31 | 26 | 8 | 34 | 25 | 10 | 35 | 24 | 11 | 35 | 22 | 16 | 38 |
| | Row % | 80.6% | 19.4% | 100.0% | 76.5% | 23.5% | 100.0% | 71.4% | 28.6% | 100.0% | 68.6% | 31.4% | 100.0% | 57.9% | 42.1% | 100.0% |
| Clinical Pharmacology and Toxicology (Int. Med.) | Count | 4 | 3 | 7 | 3 | 2 | 5 | 8 | 1 | 9 | 6 | 2 | 8 | 4 | 1 | 5 |
| | Row % | 57.1% | 42.9% | 100.0% | 60.0% | 40.0% | 100.0% | 88.9% | 11.1% | 100.0% | 75.0% | 25.0% | 100.0% | 80.0% | 20.0% | 100.0% |
| Critical Care (Int.Med) | Count | 71 | 93 | 164 | 65 | 104 | 169 | 74 | 113 | 187 | 76 | 117 | 193 | 77 | 118 | 195 |
| | Row % | 43.3% | 56.7% | 100.0% | 38.5% | 61.5% | 100.0% | 39.6% | 60.4% | 100.0% | 39.4% | 60.6% | 100.0% | 39.5% | 60.5% | 100.0% |
| Endocrinology and Metabolism (Int.Med.) | Count | 58 | 29 | 87 | 56 | 34 | 90 | 56 | 33 | 89 | 54 | 42 | 96 | 53 | 44 | 97 |
| | Row % | 66.7% | 33.3% | 100.0% | 62.2% | 37.8% | 100.0% | 62.9% | 37.1% | 100.0% | 56.3% | 43.8% | 100.0% | 54.6% | 45.4% | 100.0% |
| Gastroenterology (Int.Med.) | Count | 81 | 89 | 170 | 79 | 110 | 189 | 79 | 115 | 194 | 87 | 112 | 199 | 93 | 105 | 198 |
| | Row % | 47.6% | 52.4% | 100.0% | 41.8% | 58.2% | 100.0% | 40.7% | 59.3% | 100.0% | 43.7% | 56.3% | 100.0% | 47.0% | 53.0% | 100.0% |
| General Internal Medicine | Count | 215 | 30 | 245 | 233 | 49 | 282 | 246 | 50 | 296 | 240 | 63 | 303 | 212 | 71 | 283 |
| | Row % | 87.8% | 12.2% | 100.0% | 82.6% | 17.4% | 100.0% | 83.1% | 16.9% | 100.0% | 79.2% | 20.8% | 100.0% | 74.9% | 25.1% | 100.0% |
| Geriatric Medicine (Int.Med.) | Count | 70 | 11 | 81 | 52 | 14 | 66 | 46 | 22 | 68 | 41 | 25 | 66 | 40 | 24 | 64 |
| | Row % | 86.4% | 13.6% | 100.0% | 78.8% | 21.2% | 100.0% | 67.6% | 32.4% | 100.0% | 62.1% | 37.9% | 100.0% | 62.5% | 37.5% | 100.0% |
| Hematology (Int.Med.) | Count | 91 | 44 | 135 | 89 | 64 | 153 | 71 | 62 | 133 | 77 | 72 | 149 | 82 | 81 | 163 |
| | Row % | 67.4% | 32.6% | 100.0% | 58.2% | 41.8% | 100.0% | 53.4% | 46.6% | 100.0% | 51.7% | 48.3% | 100.0% | 50.3% | 49.7% | 100.0% |
| Infectious Diseases (Int.Med.) | Count | 42 | 32 | 74 | 41 | 33 | 74 | 53 | 34 | 87 | 50 | 44 | 94 | 39 | 45 | 84 |
| | Row % | 56.8% | 43.2% | 100.0% | 55.4% | 44.6% | 100.0% | 60.9% | 39.1% | 100.0% | 53.2% | 46.8% | 100.0% | 46.4% | 53.6% | 100.0% |

Table I-4
TIME SERIES - MOST RECENT FIVE YEARS
Field of post-M.D. training & location of M.D. degree

| Field of Post-M.D. Training | | 2021-22 | | | 2022-23 | | | 2023-24 | | | 2024-25 | | | 2025-26 | | |
|---|-------|---------|----------------|--------|---------|----------------|--------|---------|----------------|--------|---------|----------------|--------|---------|----------------|--------|
| | | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total |
| Medical Oncology (Int.Med.) | Count | 93 | 87 | 180 | 85 | 103 | 188 | 83 | 108 | 191 | 96 | 121 | 217 | 84 | 133 | 217 |
| | Row % | 51.7% | 48.3% | 100.0% | 45.2% | 54.8% | 100.0% | 43.5% | 56.5% | 100.0% | 44.2% | 55.8% | 100.0% | 38.7% | 61.3% | 100.0% |
| Nephrology (Int.Med.) | Count | 73 | 95 | 168 | 77 | 92 | 169 | 73 | 102 | 175 | 70 | 122 | 192 | 71 | 98 | 169 |
| | Row % | 43.5% | 56.5% | 100.0% | 45.6% | 54.4% | 100.0% | 41.7% | 58.3% | 100.0% | 36.5% | 63.5% | 100.0% | 42.0% | 58.0% | 100.0% |
| Occupational Medicine (Int.Med.) | Count | 2 | 2 | 4 | 3 | 1 | 4 | 1 | 2 | 3 | 5 | 2 | 7 | 3 | 4 | 7 |
| | Row % | 50.0% | 50.0% | 100.0% | 75.0% | 25.0% | 100.0% | 33.3% | 66.7% | 100.0% | 71.4% | 28.6% | 100.0% | 42.9% | 57.1% | 100.0% |
| Respirology (Int.Med.) | Count | 96 | 44 | 140 | 91 | 51 | 142 | 97 | 51 | 148 | 101 | 55 | 156 | 95 | 51 | 146 |
| | Row % | 68.6% | 31.4% | 100.0% | 64.1% | 35.9% | 100.0% | 65.5% | 34.5% | 100.0% | 64.7% | 35.3% | 100.0% | 65.1% | 34.9% | 100.0% |
| Rheumatology (Int.Med.) | Count | 61 | 35 | 96 | 63 | 38 | 101 | 65 | 36 | 101 | 64 | 45 | 109 | 53 | 51 | 104 |
| | Row % | 63.5% | 36.5% | 100.0% | 62.4% | 37.6% | 100.0% | 64.4% | 35.6% | 100.0% | 58.7% | 41.3% | 100.0% | 51.0% | 49.0% | 100.0% |
| Medical Genetics and Genomics | Count | 38 | 16 | 54 | 40 | 21 | 61 | 40 | 23 | 63 | 48 | 22 | 70 | 51 | 30 | 81 |
| | Row % | 70.4% | 29.6% | 100.0% | 65.6% | 34.4% | 100.0% | 63.5% | 36.5% | 100.0% | 68.6% | 31.4% | 100.0% | 63.0% | 37.0% | 100.0% |
| Neurology | Count | 270 | 176 | 446 | 272 | 207 | 479 | 273 | 208 | 481 | 264 | 248 | 512 | 277 | 260 | 537 |
| | Row % | 60.5% | 39.5% | 100.0% | 56.8% | 43.2% | 100.0% | 56.8% | 43.2% | 100.0% | 51.6% | 48.4% | 100.0% | 51.6% | 48.4% | 100.0% |
| Neurology (Pediatrics) | Count | 45 | 37 | 82 | 43 | 43 | 86 | 42 | 49 | 91 | 43 | 56 | 99 | 42 | 53 | 95 |
| | Row % | 54.9% | 45.1% | 100.0% | 50.0% | 50.0% | 100.0% | 46.2% | 53.8% | 100.0% | 43.4% | 56.6% | 100.0% | 44.2% | 55.8% | 100.0% |
| Nuclear Medicine | Count | 47 | 12 | 59 | 48 | 12 | 60 | 58 | 12 | 70 | 57 | 11 | 68 | 61 | 10 | 71 |
| | Row % | 79.7% | 20.3% | 100.0% | 80.0% | 20.0% | 100.0% | 82.9% | 17.1% | 100.0% | 83.8% | 16.2% | 100.0% | 85.9% | 14.1% | 100.0% |
| Palliative Medicine | Count | 11 | 12 | 23 | 8 | 18 | 26 | 11 | 13 | 24 | 10 | 25 | 35 | 8 | 20 | 28 |
| | Row % | 47.8% | 52.2% | 100.0% | 30.8% | 69.2% | 100.0% | 45.8% | 54.2% | 100.0% | 28.6% | 71.4% | 100.0% | 28.6% | 71.4% | 100.0% |
| Pediatrics | Count | 515 | 147 | 662 | 535 | 157 | 692 | 534 | 166 | 700 | 587 | 177 | 764 | 612 | 192 | 804 |
| | Row % | 77.8% | 22.2% | 100.0% | 77.3% | 22.7% | 100.0% | 76.3% | 23.7% | 100.0% | 76.8% | 23.2% | 100.0% | 76.1% | 23.9% | 100.0% |
| Adolescent Medicine (Ped.) | Count | 10 | 4 | 14 | 10 | 5 | 15 | 10 | 5 | 15 | 4 | 3 | 7 | 6 | 6 | 12 |
| | Row % | 71.4% | 28.6% | 100.0% | 66.7% | 33.3% | 100.0% | 66.7% | 33.3% | 100.0% | 57.1% | 42.9% | 100.0% | 50.0% | 50.0% | 100.0% |
| Cardiology (Ped.) | Count | 11 | 40 | 51 | 12 | 44 | 56 | 10 | 44 | 54 | 8 | 46 | 54 | 5 | 36 | 41 |
| | Row % | 21.6% | 78.4% | 100.0% | 21.4% | 78.6% | 100.0% | 18.5% | 81.5% | 100.0% | 14.8% | 85.2% | 100.0% | 12.2% | 87.8% | 100.0% |
| Clinical Immunology and Allergy (Ped.) | Count | 9 | 10 | 19 | 6 | 9 | 15 | 7 | 15 | 22 | 10 | 17 | 27 | 9 | 10 | 19 |
| | Row % | 47.4% | 52.6% | 100.0% | 40.0% | 60.0% | 100.0% | 31.8% | 68.2% | 100.0% | 37.0% | 63.0% | 100.0% | 47.4% | 52.6% | 100.0% |
| Clinical Pharmacology and Toxicology (Ped.) | Count | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 1 | 2 | 3 |
| | Row % | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 33.3% | 66.7% | 100.0% |
| Critical Care (Ped.) | Count | 23 | 41 | 64 | 23 | 43 | 66 | 17 | 50 | 67 | 5 | 58 | 63 | 12 | 56 | 68 |
| | Row % | 35.9% | 64.1% | 100.0% | 34.8% | 65.2% | 100.0% | 25.4% | 74.6% | 100.0% | 7.9% | 92.1% | 100.0% | 17.6% | 82.4% | 100.0% |

Table I-4
TIME SERIES - MOST RECENT FIVE YEARS
Field of post-M.D. training & location of M.D. degree

| Field of Post-M.D. Training | | 2021-22 | | | 2022-23 | | | 2023-24 | | | 2024-25 | | | 2025-26 | | |
|---|-------|---------|----------------|--------|---------|----------------|--------|---------|----------------|--------|---------|----------------|--------|---------|----------------|--------|
| | | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total |
| Endocrinology and Metabolism (Ped.) | Count | 14 | 16 | 30 | 12 | 22 | 34 | 10 | 15 | 25 | 7 | 25 | 32 | 7 | 29 | 36 |
| | Row % | 46.7% | 53.3% | 100.0% | 35.3% | 64.7% | 100.0% | 40.0% | 60.0% | 100.0% | 21.9% | 78.1% | 100.0% | 19.4% | 80.6% | 100.0% |
| Gastroenterology (Ped.) | Count | 13 | 20 | 33 | 9 | 28 | 37 | 10 | 30 | 40 | 8 | 33 | 41 | 4 | 31 | 35 |
| | Row % | 39.4% | 60.6% | 100.0% | 24.3% | 75.7% | 100.0% | 25.0% | 75.0% | 100.0% | 19.5% | 80.5% | 100.0% | 11.4% | 88.6% | 100.0% |
| Developmental Pediatrics (Ped.) | Count | 11 | 8 | 19 | 12 | 9 | 21 | 6 | 9 | 15 | 7 | 9 | 16 | 6 | 10 | 16 |
| | Row % | 57.9% | 42.1% | 100.0% | 57.1% | 42.9% | 100.0% | 40.0% | 60.0% | 100.0% | 43.8% | 56.3% | 100.0% | 37.5% | 62.5% | 100.0% |
| Pediatric Emergency Medicine (Ped.) | Count | 35 | 22 | 57 | 27 | 28 | 55 | 21 | 31 | 52 | 19 | 42 | 61 | 14 | 14 | 28 |
| | Row % | 61.4% | 38.6% | 100.0% | 49.1% | 50.9% | 100.0% | 40.4% | 59.6% | 100.0% | 31.1% | 68.9% | 100.0% | 50.0% | 50.0% | 100.0% |
| Hematology/Oncology (Ped.) | Count | 23 | 57 | 80 | 24 | 61 | 85 | 20 | 59 | 79 | 21 | 63 | 84 | 17 | 69 | 86 |
| | Row % | 28.8% | 71.3% | 100.0% | 28.2% | 71.8% | 100.0% | 25.3% | 74.7% | 100.0% | 25.0% | 75.0% | 100.0% | 19.8% | 80.2% | 100.0% |
| Infectious Diseases (Ped.) | Count | 10 | 12 | 22 | 8 | 15 | 23 | 10 | 17 | 27 | 6 | 19 | 25 | 5 | 20 | 25 |
| | Row % | 45.5% | 54.5% | 100.0% | 34.8% | 65.2% | 100.0% | 37.0% | 63.0% | 100.0% | 24.0% | 76.0% | 100.0% | 20.0% | 80.0% | 100.0% |
| Neonatal-Perinatal Medicine (Ped.) | Count | 13 | 116 | 129 | 10 | 133 | 143 | 16 | 120 | 136 | 12 | 123 | 135 | 11 | 138 | 149 |
| | Row % | 10.1% | 89.9% | 100.0% | 7.0% | 93.0% | 100.0% | 11.8% | 88.2% | 100.0% | 8.9% | 91.1% | 100.0% | 7.4% | 92.6% | 100.0% |
| Nephrology (Ped.) | Count | 10 | 20 | 30 | 9 | 24 | 33 | 9 | 22 | 31 | 10 | 28 | 38 | 11 | 30 | 41 |
| | Row % | 33.3% | 66.7% | 100.0% | 27.3% | 72.7% | 100.0% | 29.0% | 71.0% | 100.0% | 26.3% | 73.7% | 100.0% | 26.8% | 73.2% | 100.0% |
| Pediatric Palliative Medicine (Ped.) | Count | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 4 | 2 | 3 | 5 | 3 | 1 | 4 |
| | Row % | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 25.0% | 75.0% | 100.0% | 40.0% | 60.0% | 100.0% | 75.0% | 25.0% | 100.0% |
| Respirology (Ped.) | Count | 7 | 13 | 20 | 7 | 16 | 23 | 6 | 25 | 31 | 6 | 23 | 29 | 6 | 23 | 29 |
| | Row % | 35.0% | 65.0% | 100.0% | 30.4% | 69.6% | 100.0% | 19.4% | 80.6% | 100.0% | 20.7% | 79.3% | 100.0% | 20.7% | 79.3% | 100.0% |
| Rheumatology (Ped.) | Count | 5 | 8 | 13 | 3 | 13 | 16 | 5 | 16 | 21 | 3 | 16 | 19 | 4 | 14 | 18 |
| | Row % | 38.5% | 61.5% | 100.0% | 18.8% | 81.3% | 100.0% | 23.8% | 76.2% | 100.0% | 15.8% | 84.2% | 100.0% | 22.2% | 77.8% | 100.0% |
| Physical Medicine and Rehabilitation | Count | 153 | 24 | 177 | 147 | 19 | 166 | 155 | 29 | 184 | 161 | 28 | 189 | 160 | 28 | 188 |
| | Row % | 86.4% | 13.6% | 100.0% | 88.6% | 11.4% | 100.0% | 84.2% | 15.8% | 100.0% | 85.2% | 14.8% | 100.0% | 85.1% | 14.9% | 100.0% |
| Psychiatry | Count | 923 | 179 | 1102 | 940 | 195 | 1135 | 908 | 210 | 1118 | 908 | 226 | 1134 | 913 | 238 | 1151 |
| | Row % | 83.8% | 16.2% | 100.0% | 82.8% | 17.2% | 100.0% | 81.2% | 18.8% | 100.0% | 80.1% | 19.9% | 100.0% | 79.3% | 20.7% | 100.0% |
| Child and Adolescent Psychiatry | Count | 28 | 14 | 42 | 29 | 17 | 46 | 29 | 11 | 40 | 45 | 16 | 61 | 54 | 16 | 70 |
| | Row % | 66.7% | 33.3% | 100.0% | 63.0% | 37.0% | 100.0% | 72.5% | 27.5% | 100.0% | 73.8% | 26.2% | 100.0% | 77.1% | 22.9% | 100.0% |
| Clinical Pharmacology and Toxicology (Psych.) | Count | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Row % | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Forensic Psychiatry | Count | 6 | 3 | 9 | 5 | 3 | 8 | 7 | 2 | 9 | 6 | 1 | 7 | 7 | 5 | 12 |
| | Row % | 66.7% | 33.3% | 100.0% | 62.5% | 37.5% | 100.0% | 77.8% | 22.2% | 100.0% | 85.7% | 14.3% | 100.0% | 58.3% | 41.7% | 100.0% |

Table I-4
TIME SERIES - MOST RECENT FIVE YEARS
Field of post-M.D. training & location of M.D. degree

| Field of Post-M.D. Training | | 2021-22 | | | 2022-23 | | | 2023-24 | | | 2024-25 | | | 2025-26 | | |
|--|-------|---------|----------------|--------|---------|----------------|--------|---------|----------------|--------|---------|----------------|--------|---------|----------------|--------|
| | | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total |
| Geriatric Psychiatry | Count | 20 | 4 | 24 | 24 | 5 | 29 | 17 | 4 | 21 | 20 | 9 | 29 | 19 | 7 | 26 |
| | Row % | 83.3% | 16.7% | 100.0% | 82.8% | 17.2% | 100.0% | 81.0% | 19.0% | 100.0% | 69.0% | 31.0% | 100.0% | 73.1% | 26.9% | 100.0% |
| Radiation Oncology | Count | 119 | 57 | 176 | 112 | 65 | 177 | 114 | 59 | 173 | 120 | 69 | 189 | 121 | 60 | 181 |
| | Row % | 67.6% | 32.4% | 100.0% | 63.3% | 36.7% | 100.0% | 65.9% | 34.1% | 100.0% | 63.5% | 36.5% | 100.0% | 66.9% | 33.1% | 100.0% |
| MEDICAL SPECIALTIES SUBTOTAL | Count | 6756 | 2842 | 9598 | 6772 | 3138 | 9910 | 6802 | 3248 | 10050 | 6953 | 3555 | 10508 | 7038 | 3628 | 10666 |
| | Row % | 70.4% | 29.6% | 100.0% | 68.3% | 31.7% | 100.0% | 67.7% | 32.3% | 100.0% | 66.2% | 33.8% | 100.0% | 66.0% | 34.0% | 100.0% |
| Diagnostic and Molecular Pathology | Count | 172 | 88 | 260 | 159 | 104 | 263 | 159 | 102 | 261 | 160 | 118 | 278 | 157 | 115 | 272 |
| | Row % | 66.2% | 33.8% | 100.0% | 60.5% | 39.5% | 100.0% | 60.9% | 39.1% | 100.0% | 57.6% | 42.4% | 100.0% | 57.7% | 42.3% | 100.0% |
| Forensic Pathology (Diag. and Molecular Path.) | Count | 2 | 3 | 5 | 3 | 4 | 7 | 1 | 5 | 6 | 3 | 1 | 4 | 4 | 3 | 7 |
| | Row % | 40.0% | 60.0% | 100.0% | 42.9% | 57.1% | 100.0% | 16.7% | 83.3% | 100.0% | 75.0% | 25.0% | 100.0% | 57.1% | 42.9% | 100.0% |
| Diagnostic and Clinical Pathology | Count | 19 | 25 | 44 | 17 | 25 | 42 | 20 | 25 | 45 | 21 | 23 | 44 | 23 | 27 | 50 |
| | Row % | 43.2% | 56.8% | 100.0% | 40.5% | 59.5% | 100.0% | 44.4% | 55.6% | 100.0% | 47.7% | 52.3% | 100.0% | 46.0% | 54.0% | 100.0% |
| Forensic Pathology (Diag. and Clinical Path.) | Count | 1 | 0 | 1 | 2 | 1 | 3 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Row % | 100.0% | 0.0% | 100.0% | 66.7% | 33.3% | 100.0% | 100.0% | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Hematological Pathology | Count | 13 | 9 | 22 | 12 | 9 | 21 | 11 | 10 | 21 | 11 | 11 | 22 | 11 | 11 | 22 |
| | Row % | 59.1% | 40.9% | 100.0% | 57.1% | 42.9% | 100.0% | 52.4% | 47.6% | 100.0% | 50.0% | 50.0% | 100.0% | 50.0% | 50.0% | 100.0% |
| Medical Biochemistry | Count | 2 | 2 | 4 | 1 | 2 | 3 | 2 | 1 | 3 | 3 | 2 | 5 | 3 | 6 | 9 |
| | Row % | 50.0% | 50.0% | 100.0% | 33.3% | 66.7% | 100.0% | 66.7% | 33.3% | 100.0% | 60.0% | 40.0% | 100.0% | 33.3% | 66.7% | 100.0% |
| Medical Microbiology | Count | 28 | 17 | 45 | 32 | 19 | 51 | 26 | 24 | 50 | 25 | 23 | 48 | 27 | 16 | 43 |
| | Row % | 62.2% | 37.8% | 100.0% | 62.7% | 37.3% | 100.0% | 52.0% | 48.0% | 100.0% | 52.1% | 47.9% | 100.0% | 62.8% | 37.2% | 100.0% |
| Neuropathology | Count | 9 | 3 | 12 | 10 | 7 | 17 | 5 | 3 | 8 | 5 | 4 | 9 | 7 | 5 | 12 |
| | Row % | 75.0% | 25.0% | 100.0% | 58.8% | 41.2% | 100.0% | 62.5% | 37.5% | 100.0% | 55.6% | 44.4% | 100.0% | 58.3% | 41.7% | 100.0% |
| LAB MEDICINE SPECIALTIES SUBTOTAL | Count | 246 | 147 | 393 | 236 | 171 | 407 | 225 | 170 | 395 | 228 | 182 | 410 | 232 | 183 | 415 |
| | Row % | 62.6% | 37.4% | 100.0% | 58.0% | 42.0% | 100.0% | 57.0% | 43.0% | 100.0% | 55.6% | 44.4% | 100.0% | 55.9% | 44.1% | 100.0% |
| Cardiac Surgery | Count | 66 | 67 | 133 | 72 | 66 | 138 | 66 | 64 | 130 | 68 | 65 | 133 | 66 | 78 | 144 |
| | Row % | 49.6% | 50.4% | 100.0% | 52.2% | 47.8% | 100.0% | 50.8% | 49.2% | 100.0% | 51.1% | 48.9% | 100.0% | 45.8% | 54.2% | 100.0% |
| Thoracic Surgery (Cardiac Surg.) | Count | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Row % | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Critical Care (Cardiac Surg.) | Count | 1 | 0 | 1 | 1 | 1 | 2 | 1 | 0 | 1 | 3 | 0 | 3 | 4 | 0 | 4 |
| | Row % | 100.0% | 0.0% | 100.0% | 50.0% | 50.0% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% |
| General Surgery | Count | 447 | 150 | 597 | 459 | 147 | 606 | 463 | 140 | 603 | 455 | 163 | 618 | 476 | 161 | 637 |
| | Row % | 74.9% | 25.1% | 100.0% | 75.7% | 24.3% | 100.0% | 76.8% | 23.2% | 100.0% | 73.6% | 26.4% | 100.0% | 74.7% | 25.3% | 100.0% |

Table I-4
TIME SERIES - MOST RECENT FIVE YEARS
Field of post-M.D. training & location of M.D. degree

| Field of Post-M.D. Training | | 2021-22 | | | 2022-23 | | | 2023-24 | | | 2024-25 | | | 2025-26 | | |
|--|-------|---------|----------------|--------|---------|----------------|--------|---------|----------------|--------|---------|----------------|--------|---------|----------------|--------|
| | | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total |
| Colorectal Surgery | Count | 14 | 6 | 20 | 11 | 5 | 16 | 9 | 7 | 16 | 12 | 7 | 19 | 14 | 7 | 21 |
| | Row % | 70.0% | 30.0% | 100.0% | 68.8% | 31.3% | 100.0% | 56.3% | 43.8% | 100.0% | 63.2% | 36.8% | 100.0% | 66.7% | 33.3% | 100.0% |
| Critical Care (General Surgery) | Count | 3 | 3 | 6 | 8 | 1 | 9 | 4 | 1 | 5 | 4 | 2 | 6 | 1 | 2 | 3 |
| | Row % | 50.0% | 50.0% | 100.0% | 88.9% | 11.1% | 100.0% | 80.0% | 20.0% | 100.0% | 66.7% | 33.3% | 100.0% | 33.3% | 66.7% | 100.0% |
| General Surgical Oncology | Count | 15 | 11 | 26 | 14 | 13 | 27 | 13 | 13 | 26 | 14 | 11 | 25 | 17 | 10 | 27 |
| | Row % | 57.7% | 42.3% | 100.0% | 51.9% | 48.1% | 100.0% | 50.0% | 50.0% | 100.0% | 56.0% | 44.0% | 100.0% | 63.0% | 37.0% | 100.0% |
| Pediatric Surgery | Count | 7 | 19 | 26 | 5 | 17 | 22 | 4 | 17 | 21 | 6 | 18 | 24 | 4 | 19 | 23 |
| | Row % | 26.9% | 73.1% | 100.0% | 22.7% | 77.3% | 100.0% | 19.0% | 81.0% | 100.0% | 25.0% | 75.0% | 100.0% | 17.4% | 82.6% | 100.0% |
| Thoracic Surgery | Count | 11 | 18 | 29 | 15 | 26 | 41 | 13 | 30 | 43 | 13 | 28 | 41 | 13 | 32 | 45 |
| | Row % | 37.9% | 62.1% | 100.0% | 36.6% | 63.4% | 100.0% | 30.2% | 69.8% | 100.0% | 31.7% | 68.3% | 100.0% | 28.9% | 71.1% | 100.0% |
| Vascular Surgery | Count | 56 | 19 | 75 | 60 | 17 | 77 | 64 | 16 | 80 | 61 | 22 | 83 | 63 | 28 | 91 |
| | Row % | 74.7% | 25.3% | 100.0% | 77.9% | 22.1% | 100.0% | 80.0% | 20.0% | 100.0% | 73.5% | 26.5% | 100.0% | 69.2% | 30.8% | 100.0% |
| Neurosurgery | Count | 124 | 114 | 238 | 124 | 106 | 230 | 120 | 95 | 215 | 120 | 106 | 226 | 127 | 106 | 233 |
| | Row % | 52.1% | 47.9% | 100.0% | 53.9% | 46.1% | 100.0% | 55.8% | 44.2% | 100.0% | 53.1% | 46.9% | 100.0% | 54.5% | 45.5% | 100.0% |
| Obstetrics/Gynecology | Count | 444 | 81 | 525 | 451 | 80 | 531 | 469 | 77 | 546 | 477 | 85 | 562 | 498 | 93 | 591 |
| | Row % | 84.6% | 15.4% | 100.0% | 84.9% | 15.1% | 100.0% | 85.9% | 14.1% | 100.0% | 84.9% | 15.1% | 100.0% | 84.3% | 15.7% | 100.0% |
| Gynecologic Oncology | Count | 24 | 13 | 37 | 20 | 15 | 35 | 13 | 17 | 30 | 9 | 20 | 29 | 12 | 20 | 32 |
| | Row % | 64.9% | 35.1% | 100.0% | 57.1% | 42.9% | 100.0% | 43.3% | 56.7% | 100.0% | 31.0% | 69.0% | 100.0% | 37.5% | 62.5% | 100.0% |
| Gynecologic.Rep.Endocrin./Infertility | Count | 12 | 11 | 23 | 18 | 13 | 31 | 11 | 14 | 25 | 14 | 15 | 29 | 20 | 15 | 35 |
| | Row % | 52.2% | 47.8% | 100.0% | 58.1% | 41.9% | 100.0% | 44.0% | 56.0% | 100.0% | 48.3% | 51.7% | 100.0% | 57.1% | 42.9% | 100.0% |
| Maternal-Fetal Medicine | Count | 11 | 31 | 42 | 15 | 36 | 51 | 14 | 33 | 47 | 14 | 30 | 44 | 16 | 26 | 42 |
| | Row % | 26.2% | 73.8% | 100.0% | 29.4% | 70.6% | 100.0% | 29.8% | 70.2% | 100.0% | 31.8% | 68.2% | 100.0% | 38.1% | 61.9% | 100.0% |
| Ophthalmology | Count | 202 | 90 | 292 | 214 | 106 | 320 | 202 | 114 | 316 | 199 | 118 | 317 | 214 | 121 | 335 |
| | Row % | 69.2% | 30.8% | 100.0% | 66.9% | 33.1% | 100.0% | 63.9% | 36.1% | 100.0% | 62.8% | 37.2% | 100.0% | 63.9% | 36.1% | 100.0% |
| Otolaryngology - Head and Neck Surgery | Count | 150 | 64 | 214 | 145 | 79 | 224 | 141 | 68 | 209 | 155 | 67 | 222 | 159 | 72 | 231 |
| | Row % | 70.1% | 29.9% | 100.0% | 64.7% | 35.3% | 100.0% | 67.5% | 32.5% | 100.0% | 69.8% | 30.2% | 100.0% | 68.8% | 31.2% | 100.0% |
| Orthopedic Surgery | Count | 276 | 252 | 528 | 283 | 253 | 536 | 279 | 271 | 550 | 300 | 303 | 603 | 307 | 312 | 619 |
| | Row % | 52.3% | 47.7% | 100.0% | 52.8% | 47.2% | 100.0% | 50.7% | 49.3% | 100.0% | 49.8% | 50.2% | 100.0% | 49.6% | 50.4% | 100.0% |
| Plastic Surgery | Count | 148 | 43 | 191 | 139 | 50 | 189 | 142 | 57 | 199 | 143 | 61 | 204 | 155 | 57 | 212 |
| | Row % | 77.5% | 22.5% | 100.0% | 73.5% | 26.5% | 100.0% | 71.4% | 28.6% | 100.0% | 70.1% | 29.9% | 100.0% | 73.1% | 26.9% | 100.0% |
| Urology | Count | 174 | 58 | 232 | 174 | 71 | 245 | 171 | 81 | 252 | 170 | 89 | 259 | 172 | 93 | 265 |
| | Row % | 75.0% | 25.0% | 100.0% | 71.0% | 29.0% | 100.0% | 67.9% | 32.1% | 100.0% | 65.6% | 34.4% | 100.0% | 64.9% | 35.1% | 100.0% |

Table I-4
TIME SERIES - MOST RECENT FIVE YEARS
 Field of post-M.D. training & location of M.D. degree

| Field of Post-M.D. Training | | 2021-22 | | | 2022-23 | | | 2023-24 | | | 2024-25 | | | 2025-26 | | |
|--|--------------|---------|----------------|---------------|---------|----------------|---------------|---------|----------------|---------------|---------|----------------|---------------|---------|----------------|---------------|
| | | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total |
| SURGICAL SPECIALTIES SUBTOTAL | Count | 2185 | 1051 | 3236 | 2228 | 1103 | 3331 | 2199 | 1115 | 3314 | 2237 | 1210 | 3447 | 2338 | 1252 | 3590 |
| | Row % | 67.5% | 32.5% | 100.0% | 66.9% | 33.1% | 100.0% | 66.4% | 33.6% | 100.0% | 64.9% | 35.1% | 100.0% | 65.1% | 34.9% | 100.0% |
| Acute Care Point of Care Ultrasonography (AFC) | Count | 0 | 0 | 0 | 2 | 2 | 4 | 3 | 1 | 4 | 2 | 1 | 3 | 3 | 1 | 4 |
| | Row % | 0.0% | 0.0% | 0.0% | 50.0% | 50.0% | 100.0% | 75.0% | 25.0% | 100.0% | 66.7% | 33.3% | 100.0% | 75.0% | 25.0% | 100.0% |
| Addiction Medicine (AFC) | Count | 5 | 0 | 5 | 4 | 1 | 5 | 4 | 1 | 5 | 5 | 0 | 5 | 1 | 4 | 5 |
| | Row % | 100.0% | 0.0% | 100.0% | 80.0% | 20.0% | 100.0% | 80.0% | 20.0% | 100.0% | 100.0% | 0.0% | 100.0% | 20.0% | 80.0% | 100.0% |
| Adult Cardiac Electrophysiology (AFC) | Count | 3 | 18 | 21 | 2 | 29 | 31 | 0 | 38 | 38 | 2 | 34 | 36 | 3 | 21 | 24 |
| | Row % | 14.3% | 85.7% | 100.0% | 6.5% | 93.5% | 100.0% | 0.0% | 100.0% | 100.0% | 5.6% | 94.4% | 100.0% | 12.5% | 87.5% | 100.0% |
| Adult Congenital Heart Disease (AFC) | Count | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 |
| | Row % | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 50.0% | 50.0% | 100.0% |
| Adult Echocardiography (AFC) | Count | 4 | 6 | 10 | 7 | 3 | 10 | 6 | 6 | 12 | 10 | 11 | 21 | 6 | 4 | 10 |
| | Row % | 40.0% | 60.0% | 100.0% | 70.0% | 30.0% | 100.0% | 50.0% | 50.0% | 100.0% | 47.6% | 52.4% | 100.0% | 60.0% | 40.0% | 100.0% |
| Adult Hepatology (AFC) | Count | 3 | 3 | 6 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 15 | 17 |
| | Row % | 50.0% | 50.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 11.8% | 88.2% | 100.0% |
| Adult Interventional Cardiology (AFC) | Count | 8 | 25 | 33 | 5 | 33 | 38 | 4 | 33 | 37 | 10 | 30 | 40 | 16 | 33 | 49 |
| | Row % | 24.2% | 75.8% | 100.0% | 13.2% | 86.8% | 100.0% | 10.8% | 89.2% | 100.0% | 25.0% | 75.0% | 100.0% | 32.7% | 67.3% | 100.0% |
| Adult Thrombosis Medicine (AFC) | Count | 2 | 1 | 3 | 5 | 0 | 5 | 2 | 7 | 9 | 1 | 11 | 12 | 0 | 13 | 13 |
| | Row % | 66.7% | 33.3% | 100.0% | 100.0% | 0.0% | 100.0% | 22.2% | 77.8% | 100.0% | 8.3% | 91.7% | 100.0% | 0.0% | 100.0% | 100.0% |
| Advanced Heart Failure and Cardiac Transplantation (AFC) | Count | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 4 | 4 | 1 | 0 | 1 |
| | Row % | 0.0% | 100.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 100.0% | 0.0% | 100.0% |
| Brachytherapy (AFC) | Count | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 3 | 2 | 0 | 2 | 3 | 0 | 3 |
| | Row % | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% |
| Child Maltreatment Pediatrics (AFC) | Count | 3 | 1 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 3 |
| | Row % | 75.0% | 25.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 0.0% | 100.0% |
| Clinician Educator (AFC) | Count | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 17 | 6 | 23 | 19 | 10 | 29 |
| | Row % | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 73.9% | 26.1% | 100.0% | 65.5% | 34.5% | 100.0% |
| Cytopathology (AFC) | Count | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Row % | 0.0% | 0.0% | 0.0% | 50.0% | 50.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Hematopoietic Stem Cell Transplantation and Cellular Therapy (AFC) | Count | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 6 | 7 |
| | Row % | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 14.3% | 85.7% | 100.0% |
| Hyperbaric Medicine (AFC) | Count | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 1 | 1 | 0 | 1 |
| | Row % | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 0.0% | 100.0% | 0.0% | 100.0% | 100.0% | 100.0% | 0.0% | 100.0% |

Table I-4
TIME SERIES - MOST RECENT FIVE YEARS
Field of post-M.D. training & location of M.D. degree

| Field of Post-M.D. Training | | 2021-22 | | | 2022-23 | | | 2023-24 | | | 2024-25 | | | 2025-26 | | |
|--|-------|---------|----------------|--------|---------|----------------|--------|---------|----------------|--------|---------|----------------|--------|---------|----------------|--------|
| | | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total | Canada | Outside Canada | Total |
| Neonatal Hemodynamics and Targeted Neonatal Echocardiography (AFC) | Count | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 2 | 2 | 1 | 3 | 4 |
| | Row % | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 25.0% | 75.0% | 100.0% |
| Neuro-intervention (AFC) | Count | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | |
| | Row % | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | |
| Pediatric and Perinatal Pathology (AFC) | Count | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 1 |
| | Row % | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 0.0% | 0.0% | 0.0% | 100.0% | 0.0% | 100.0% |
| Pediatric Urology (AFC) | Count | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 1 | 2 | 3 | |
| | Row % | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 33.3% | 66.7% | 100.0% |
| Prehospital and Transport Medicine (AFC) | Count | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 1 | 1 | 3 | 1 | 4 | 2 | 2 | 4 |
| | Row % | 0.0% | 0.0% | 0.0% | 100.0% | 0.0% | 100.0% | 0.0% | 100.0% | 100.0% | 75.0% | 25.0% | 100.0% | 50.0% | 50.0% | 100.0% |
| Retina (AFC) | Count | 0 | 0 | 0 | 0 | 3 | 3 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 |
| | Row % | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 0.0% | 100.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% |
| Sleep Disorder Medicine (AFC) | Count | 0 | 0 | 0 | 2 | 0 | 2 | 3 | 2 | 5 | 5 | 2 | 7 | 5 | 6 | 11 |
| | Row % | 0.0% | 0.0% | 0.0% | 100.0% | 0.0% | 100.0% | 60.0% | 40.0% | 100.0% | 71.4% | 28.6% | 100.0% | 45.5% | 54.5% | 100.0% |
| Solid Organ Transplantation (AFC) | Count | 2 | 3 | 5 | 2 | 6 | 8 | 2 | 9 | 11 | 6 | 7 | 13 | 3 | 17 | 20 |
| | Row % | 40.0% | 60.0% | 100.0% | 25.0% | 75.0% | 100.0% | 18.2% | 81.8% | 100.0% | 46.2% | 53.8% | 100.0% | 15.0% | 85.0% | 100.0% |
| Transfusion Medicine (AFC) | Count | 2 | 0 | 2 | 4 | 2 | 6 | 9 | 3 | 12 | 5 | 1 | 6 | 5 | 2 | 7 |
| | Row % | 100.0% | 0.0% | 100.0% | 66.7% | 33.3% | 100.0% | 75.0% | 25.0% | 100.0% | 83.3% | 16.7% | 100.0% | 71.4% | 28.6% | 100.0% |
| Trauma General Surgery (AFC) | Count | 5 | 1 | 6 | 1 | 2 | 3 | 3 | 5 | 8 | 2 | 6 | 8 | 6 | 1 | 7 |
| | Row % | 83.3% | 16.7% | 100.0% | 33.3% | 66.7% | 100.0% | 37.5% | 62.5% | 100.0% | 25.0% | 75.0% | 100.0% | 85.7% | 14.3% | 100.0% |
| AREAS OF FOCUSED COMPETENCE SUBTOTAL | Count | 37 | 60 | 97 | 37 | 83 | 120 | 40 | 112 | 152 | 70 | 118 | 188 | 84 | 143 | 227 |
| | Row % | 38.1% | 61.9% | 100.0% | 30.8% | 69.2% | 100.0% | 26.3% | 73.7% | 100.0% | 37.2% | 62.8% | 100.0% | 37.0% | 63.0% | 100.0% |
| Total | Count | 12239 | 4692 | 16931 | 12191 | 5084 | 17275 | 12129 | 5411 | 17540 | 12383 | 5987 | 18370 | 12560 | 6385 | 18945 |
| | Row % | 72.3% | 27.7% | 100.0% | 70.6% | 29.4% | 100.0% | 69.2% | 30.8% | 100.0% | 67.4% | 32.6% | 100.0% | 66.3% | 33.7% | 100.0% |